

Vanilla	2008 Model	Shaft PN	Adjust. Rod PN	Body PN	Air Sleeve	IFP Setting	IFP PSI	
816-67-300-D	05-08 [.940 Bore, 6.5, 1.5, C .012 Ring 3X .004,.039]	229-15-003-B	N/A	204-12-002-D	N/A	2,000	300	
816-67-340-D	05-08 [.940 Bore, 7.500, 2.0, C .012 Ring 3X .004,.043]	229-15-005-B	N/A	204-12-004-D	N/A	2,600	300	
816-67-310-D	05-08 [.940 Bore, 7.875, 2.0, C .012 Ring 3X .004,.043]	229-15-006-B	N/A	204-12-007-D	N/A	2,600	300	
Vanilla R	2008 Model	Shaft PN	Adjust. Rod PN	Body PN	Air Sleeve	IFP Setting	IFP PSI	
816-63-500-D	05-08 Vanilla R[6.5, 1.5, C .012 Ring 3X .004,2X .010]	229-27-003-B	210-19-012-A	204-12-002-D	N/A	2,000	300	
816-63-540-D	05-08 Vanilla R[6.75, 1.75, C .012 Ring 3X .004,2X .010]	229-27-004-B	210-19-013-A	204-12-002-D	N/A	2,080	300	
816-63-570-D	05-08 Vanilla R[7.25, 1.75, C .012 Ring 3X .004,2X .010]	229-27-004-B	210-19-013-A	204-12-004-D	N/A	2,080	300	
816-63-700	08 Vanilla R [8.75, 2.50]	229-27-008-B	210-19-017-A	204-12-009-D	N/A	2,650	300	
816-63-710	08 Vanilla R [7.875, 2.25]	229-27-006-B	210-19-015-A	204-12-008-D	N/A	2,550	300	
816-63-720	08 Vanilla R [7.875, 2.00]	229-27-006-B	210-19-015-A	204-12-007-D	N/A	2,600	300	
816-63-730	08 Vanilla R [7.50, 2.00]	229-27-005-B	210-19-014-A	204-12-004-D	N/A	2,400	300	
Float	2008 Model	Shaft PN	Adjust. Rod PN	Body PN	Air Sleeve	IFP Setting	IFP PSI	
816-75-40X	08 [1.500 Bore, 5.5, 1.0, C .012 Ring 3X .004,.028]	229-42-000	N/A	204-54-007A	806-29-039	1,400	300	
816-75-41X	08 [1.500 Bore, 6.0, 1.25, C .012 Ring 3X .004,.028]	229-42-001	N/A	204-54-008-A	806-29-042	1,600	300	
816-75-42X	08 [1.500 Bore, 6.5, 1.5, C .012 Ring 3X .004,.047]	229-42-002	N/A	204-54-005-A	806-29-040	1,900	300	
816-75-43X	08 [1.500 Bore, 7.250, 1.750, C .012 Ring 3X .004,.028]	229-42-003	N/A	204-54-009-A	806-29-041	2,100	300	
816-75-44X	08 [1.500 Bore, 7.5, 2.0, C .012 Ring 3X .004,.028]	229-42-003	N/A	204-54-011-A	806-29-041	2,250	300	
816-75-45X	08 [1.500 Bore, 7.875, 2.0, C .012 Ring 3X .004,.047]	229-42-004	N/A	204-54-006-A	806-29-043	2,250	300	
Float R	2008 Model	Shaft PN	Adjust. Rod PN	Body PN	Air Sleeve	IFP Setting	IFP PSI	
816-76-090	08 [1.500 Bore, 7.500, 1.750]	229-36-004	210-50-004	204-54-011-A	806-29-041	2,250	300	
816-76-910	08 [1.500 Bore, 5.500, 1.000]	229-36-000	210-50-000	204-54-007-A	806-29-039	1,400	300	
816-76-920	08 [1.500 Bore, 6.000, 1.250]	229-36-001	210-50-001	204-54-008-A	806-29-042	1,600	300	
816-76-930	08 [1.500 Bore, 6.500, 1.500]	229-36-002	210-50-002	204-54-005-A	806-29-040	1,900	300	
816-76-940	08 [1.500 Bore, 7.250, 1.750]	229-36-004	210-50-004	204-54-009	806-29-041	2,400	300	
816-76-950	08 [1.500 Bore, 7.500, 2.000]	229-36-004	210-50-004	204-54-011-A	806-29-041	2,250	300	
816-76-960	08 [1.500 Bore, 7.875, 2.000]	229-36-005	210-50-005	204-54-006-A	806-29-043	2,250	300	
816-76-970	08 [1.500 Bore, 7.875, 2.250]	229-36-005	210-50-005	204-54-006	806-29-043	2,100	300	
RP2	2008 Model	Shaft PN	Adjust. Rod Inner	Adjust Rod Outer	Body PN	Air Sleeve	IFP Setting	IFP PSI
816-77-10X	08, FLOAT RP23 [5.50, 1.00, 2.3 CR]	229-36-000	210-49-000	210-55-000	204-54-007	806-29-039	1,40	400
816-77-31X	08, FLOAT RP2 [6.000, 1.250, C PPP, R 3x .006]	229-36-001	210-49-001	210-55-001	204-54-008	806-29-042	TBD	400
816-77-32X	08, FLOAT RP2 [6.500, 1.500, C PPP, R 3x .006]	229-40-002	210-49-002	210-55-002	204-54-005	806-29-040	TBD	400
816-77-33X	08, FLOAT RP2 [7.250, 1.750, C PPP, R 3x .006]	229-36-004	210-49-004	210-55-004	204-54-009	806-29-041	TBD	400
816-77-34X	08, FLOAT RP2 [7.500, 2.000, C PPP, R 3x .006]	229-36-004	210-49-004	210-55-004	204-54-011	806-29-041	TBD	400
816-77-35X	08, FLOAT RP2 [7.875, 2.000, C PPP, R 3x .006]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-043	TBD	400
816-77-36X	08, FLOAT RP2 XV [7.500, 2.00, 2.8 CR, CF, RL]	229-36-004	210-49-004	210-55-004	204-54-011	806-29-071	TBD	400
816-77-37X	08, FLOAT RP2 XV [7.875, 2.25, 3.0 CR]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-070	TBD	400
816-77-38X	08, FLOAT RP2 XV [8.50, 2.50, 2.9 CR]	229-36-006	210-49-006	210-55-006	204-54-013	806-29-075	TBD	400
816-77-39X	08, FLOAT RP2 [7.50, 1.75] w/ Vol. & Trav. Spacer	229-36-004	210-49-004	210-55-004	204-54-011	806-29-041	TBD	400
RP23	2008 Model	Shaft PN	Adjust. Rod Inner	Adjust Rod Outer	Body PN	Air Sleeve	IFP Setting	IFP PSI
816-78-000	08, FLOAT RP23 [5.50, 1.00, 2.3 CR]	229-36-000	210-49-000	210-55-000	204-54-007	806-29-039	1,40	400
816-78-010	08, FLOAT RP23 [6.00, 1.25, 2.7 CR]	229-36-001	210-49-001	210-55-001	204-54-008	806-29-042	1,60	400
816-78-020	08, FLOAT RP23 [6.50, 1.50, 3.0 CR, CF, RM]	229-36-002	210-49-002	210-55-002	204-54-005	806-29-040	1,90	400
816-78-021	08, FLOAT RP23 [6.50, 1.50, 3.0 CR, CF, RL]	229-36-002	210-49-002	210-55-002	204-54-005	806-29-040	1,90	400
816-78-030	08, FLOAT RP23, CF, RM [7.25, 1.75, 2.9 CR]	229-36-004	210-49-004	210-55-004	204-54-009	806-29-041	2,10	400
816-78-040	08, FLOAT RP23 [7.50, 2.00, 3.6 CR, CF, RM]	229-36-004	210-49-004	210-55-004	204-54-011	806-29-041	2,25	400
816-78-041	08, FLOAT RP23 [7.50, 2.00, 3.6 CR, CF, RL]	229-36-004	210-49-004	210-55-004	204-54-011	806-29-041	2,25	400
816-78-050	08, FLOAT RP23 [7.875, 2.00, 3.1 CR, CF, RM]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-043	3,25	400

816-78-051	08, FLOAT RP23 [7.875, 2.00, 3.1 CR, CF, RL]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-043	3,25	400
816-78-060	08, FLOAT RP23 XV [6.50, 1.50, 2.4 CR]	229-36-002	210-49-002	210-55-002	204-54-005	806-29-077	1,90	400
816-78-070	08, FLOAT RP23 XV [7.50, 2.00, 2.8 CR, CL, RL]	229-36-004	210-49-004	210-55-004	204-54-011	806-29-071	2,25	400
816-78-071	08, FLOAT RP23 XV [7.50, 2.00, 2.8 CR]	229-36-004	210-49-004	210-55-004	204-54-011	806-29-071	2,25	400
816-78-080	08, FLOAT RP23 XV [7.875, 2.00, 2.5 CR]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-070	3,25	400
816-78-081	08, FLOAT RP23 XV Light R [7.875, 2.00, 2.5 CR]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-070	3,25	400
816-78-090	08, FLOAT RP23 XV [7.875, 2.25, 3.0 CR, CF, RM]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-070	2,40	400
816-78-100	08, FLOAT RP23 XV [7.875, 2.25, 2.5 CR]	229-36-005	210-49-005	210-55-005	204-54-006	806-29-076	2,40	400
816-78-110	08, FLOAT RP23 XV [8.50, 2.50, 2.9 CR]	229-36-006	210-49-008	210-55-008	204-54-013	806-29-075	2,65	400
816-78-111	08, FLOAT RP23 XV [8.50, 2.50, 2.9 CR, CF, RL]	229-36-006	210-49-008	210-55-008	204-54-013	806-29-075	2,65	400
816-78-120	08, FLOAT RP23 [7.50, 1.75] w/ Vol. & Trav. Spacer	229-36-004	210-49-004	210-55-004	204-54-011	806-29-041	2,25	400
816-78-130	08, FLOAT RP23 Enduro [7.50, 1.75]	229-36-004	210-49-004	210-55-004	204-71-000	806-29-041	2,25	400
Triad	2008 Model	Shaft PN	Adjust. Rod Inner	Adjust Rod Outer	Body PN	Air Sleeve	IFP Setting	IFP PSI
816-72-090	08 FLOAT RP3 [7.500, 2.000, 3.6 CR]	TBD	TBD	TBD	TBD	TBD	TBD	500
816-72-934	08, FLOAT RPL [1.500 Bore, 5.500, 1.000]	229-36-000	510-51-000	210-55-000	204-54-007	806-29-039	1,450	500
816-72-935	08, FLOAT RPL [1.500 Bore, 7.500, 1.750] w/ Vol. & Tr	TBD	TBD	TBD	TBD	TBD	TBD	500
816-72-936	08, FLOAT RPL [1.500 Bore, 7.500, 2.000]	229-36-004	510-51-004	210-55-004	204-54-011	806-29-041	2,300	500
816-72-937	08, FLOAT RPL [1.500 Bore, 7.250, 1.750]	TBD	TBD	TBD	TBD	TBD	TBD	500
816-72-941	08, FLOAT TRIAD [1.500 Bore, 7.750, 1.750]	TBD	TBD	TBD	TBD	TBD	TBD	500
816-72-942	08, FLOAT TRIAD [1.500 Bore, 7.000, 1.600]	229-36-003	510-51-003	210-55-003	204-54-009	806-29-048	2,000	500
VAN R	2008 Model	Shaft PN	Adjust. Rod Inner	Body PN	IFP Setting	IFP PSI		
816-62-220	07, 08 VAN R [1.070 Bore, 8.75, 2.75]	229-38-000	210-19-018-A	204-68-000	1,38	300		
816-62-221	07, 08 VAN R [1.070 Bore, 8.75, 2.75] Light	229-38-001	210-19-018-A	204-68-001	1,38	300		
816-62-230	07, 08 VAN R [1.070 Bore, 9.50, 3.00]	229-38-001	210-19-020	204-68-001	1,38	300		
816-62-231	07, 08 VAN R [1.070 Bore, 9.50, 3.00] Light	229-38-001	210-19-020	204-68-001	1,38	300		
816-62-240	07, 08 VAN R [1.070 Bore, 8.50, 2.50]	229-38-002	210-19-017-A	204-68-000	1,38	300		
816-62-250	07, 08 VAN R [1.070 Bore, 7.875, 2.25]	229-38-003	210-19-016	204-68-003	1,38	300		
816-62-260	07, 08 VAN R [1.070 Bore, 7.875, 2.00]	229-38-004	210-19-015	204-68-002	1,38	300		
816-62-270	07, 08 VAN R [1.070 Bore, 7.50, 2.00]	229-38-004	210-19-015	204-68-004	1,38	300		
816-62-280	07, 08 VAN R [1.070 Bore, 9.00, 2.50]	229-38-002	210-19-017-A	204-68-001	1,38	300		
816-62-290	07, 08 VAN R [1.070 Bore, 8.75, 2.50]	229-38-004	210-19-015-A	204-68-002	1,38	300		
816-62-300	07, 08 VAN R [1.070 Bore, 9.00, 2.75]	229-38-000	210-19-018-A	204-68-005	1,38	300		
DHX 3.0	2008 Model	Shaft PN	Adjust. Rod Inner	Body PN	IFP Setting	IFP PSI		
816-64-800	08 DHX 3.0, STD PP/STD B/O [1.070 Bore, 7.50, 2.00]	229-38-004	210-19-015-A	204-68-004	1,15	135		
816-64-810	08 DHX 3.0, STD PP/STD B/O [1.070 Bore, 7.875, 2.00]	229-38-004	210-19-015-A	204-68-002	1,15	135		
816-64-820	08 DHX 3.0, STD PP/STD B/O [1.070 Bore, 7.875, 2.25]	229-38-003	210-19-016-A	204-68-003	1,20	135		
816-64-830	08 DHX 3.0, STD PP/STD B/O [1.070 Bore, 8.50, 2.50]	229-38-002	210-19-017-A	204-68-000	1,25	135		
816-64-840	08 DHX 3.0, STD PP/STD B/O [1.070 Bore, 8.75, 2.75]	229-38-002	210-19-017-A	204-68-005	1,25	135		
816-64-850	08 DHX 3.0, STD PP/STD B/O [1.070 Bore, 9.50, 3.00]	229-38-001	210-19-020-A	204-68-001	1,375	135		
DHX 4.0	2008 Model	Shaft PN	Adjust. Rod Inner	Body PN	IFP Setting	IFP PSI		
816-65-200	08 DHX 4.0, STD B/O [1.070 Bore, 7.50, 2.00]	229-38-004	210-19-015-A	204-68-004	1,050	135		
816-65-210	08 DHX 4.0, STD B/O [1.070 Bore, 7.875, 2.00]	229-38-004	210-19-015-A	204-68-002	1,050	135		
816-65-220	08 DHX 4.0, STD B/O [1.070 Bore, 7.875, 2.25]	229-38-003	210-19-016-A	204-68-003	1,100	135		
816-65-230	08 DHX 4.0, STD B/O [1.070 Bore, 8.50, 2.50]	229-38-002	210-19-017-A	204-68-000	1,150	135		
816-65-240	08 DHX 4.0, STD B/O [1.070 Bore, 8.75, 2.75]	229-38-002	210-19-017-A	204-68-005	1,135	135		
816-65-250	08 DHX 4.0, STD B/O [1.070 Bore, 9.00, 3.00]	229-38-001	210-19-020	204-68-001	1,375	135		
DHX 5.0	2008 Model	Shaft PN	Adjust. Rod Inner	Body PN	IFP Setting	IFP PSI		
816-66-310	08 DHX 5.0, [1.070 Bore, 7.50, 2.00]	229-38-004	210-19-015-A	204-68-004	1,250	135		
816-66-320	08 DHX 5.0, [1.070 Bore, 7.875, 2.00]	229-38-004	210-19-015-A	204-68-002	1,250	135		

816-66-330	08 DHX 5.0, [1.070 Bore, 7.875, 2.25]	229-38-003	210-19-016-A	204-68-003	1,300	135	
816-66-340	08 DHX 5.0, [1.070 Bore, 8.50, 2.50]	229-38-002	210-19-017-A	204-68-000	1,350	135	
816-66-350	08 DHX 5.0, [1.070 Bore, 8.75, 2.75]	229-38-000	210-19-018-A	204-68-000	1,415	135	
816-66-360	08 DHX 5.0, [1.070 Bore, 9.50, 3.00]	229-38-001	210-19-020-A	204-68-001	1,475	135	
DHX AIR 3.0	2008 Model	Shaft PN	Adjust. Rod Inner	Body PN	Air Sleeve	IFP Setting	IFP PSI
816-73-093	08 DHX Air 3.0 [7.875, 2.00, 3.4 CR]	229-44-001	210-42-001	204-54-006	806-29-043	TBD	TBD
816-73-103	08 DHX Air 3.0 XV [7.875, 2.25, 3.2 CR]	229-44-001	210-42-001	204-54-006	806-29-070	TBD	TBD
816-73-112	08 DHX Air 3.0 XV [8.50, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-013	806-29-070	TBD	TBD
816-73-122	08 DHX Air 3.0 XV [8.75, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-012	806-29-075	TBD	TBD
816-73-132	08 DHX Air 3.0 XV [9.00, 2.75, 3.3 CR]	229-44-003	210-42-003	204-54-012	806-29-079	TBD	TBD
816-73-142	08 DHX Air 3.0 XV [9.50, 3.00, 3.4 CR]	229-44-004	210-42-004	204-54-014	806-29-073	TBD	TBD
816-73-105	08 DHX Air 3.0 XV GAV [7.875, 2.25, 3.2 CR]	229-44-001	210-42-001	204-54-006	806-29-073	TBD	TBD
DHX AIR 4.0	2008 Model	Shaft PN	Adjust. Rod Inner	Body PN	Air Sleeve	IFP Setting	IFP PSI
816-73-082	08 DHX Air 4.0 QA XV GAV [7.50, 2.00, 2.9 CR]	229-44-000	210-42-000	204-54-011	806-29-071	TBD	TBD
816-73-092	08 DHX Air 4.0 QA [7.875, 2.00, 3.4 CR]	229-44-001	210-42-001	204-54-006	806-29-043	TBD	TBD
816-73-102	08 DHX Air 4.0 QA XV [7.875, 2.25, 3.2 CR]	229-44-001	210-42-001	204-54-006	806-29-070	TBD	TBD
816-73-104	08 DHX Air 4.0 QA XV LAV [7.875, 2.25, 3.2 CR]	229-44-001	210-42-001	204-54-006	806-29-070	1,200	135,000
816-73-111	08 DHX Air 4.0 XV [8.50, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-013	806-29-075	TBD	TBD
816-73-114	08 DHX Air 4.0 QA XV [8.50, 2.50, 3.1 CR]	229-44-001	210-42-002	204-54-013	806-29-075	TBD	TBD
816-73-121	08 DHX Air 4.0 XV [8.75, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-012	806-29-075	TBD	TBD
816-73-124	08 DHX Air 4.0 QA XV [8.75, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-012	806-29-075	TBD	TBD
816-73-131	08 DHX Air 4.0 XV [9.00, 2.75, 3.3 CR]	229-44-003	210-42-003	204-54-012	806-29-079	TBD	TBD
816-73-134	08 DHX Air 4.0 QA XV [9.00, 2.75, 3.3 CR]	229-44-003	210-42-003	204-54-012	806-29-079	TBD	TBD
816-73-141	08 DHX Air 4.0 XV [9.50, 3.00, 3.4 CR]	229-44-004	210-42-004	204-54-014	806-29-073	TBD	TBD
816-73-144	08 DHX Air 4.0 QA XV [9.50, 3.00, 3.4 CR]	229-44-004	210-42-004	204-54-014	806-29-073	TBD	TBD
DHX AIR 5.0	2008 Model	Shaft PN	Adjust. Rod Inner	Body PN	Air Sleeve	IFP Setting	IFP PSI
816-73-080	08 DHX Air 5.0 QA [7.50, 2.00, 3.9 CR]	229-44-000	210-42-000	204-54-011	806-29-041	TBD	TBD
816-73-081	08 DHX Air 5.0 QA XV [7.50, 2.00, 2.9 CR]	229-44-000	210-42-000	204-54-011	806-29-071	1,250	200,000
816-73-090	08 DHX Air 5.0 QA [7.875, 2.00, 3.4 CR]	229-44-001	210-42-001	204-54-006	806-29-043	1,250	200,000
816-73-091	08 DHX Air 5.0 QA XV [7.875, 2.00, 2.7 CR]	229-44-001	210-42-001	204-54-006	806-29-070	1,250	135,000
816-73-100	08 DHX Air 5.0 QA XV [7.875, 2.25, 3.2 CR]	229-44-001	210-42-001	204-54-006	806-29-070	1,300	200,000
816-73-101	08 DHX Air 5.0 QA XV [7.875, 2.25, 2.6 CR]	229-44-001	210-42-001	204-54-006	806-29-076	TBD	TBD
816-73-106	08 DHX Air 5.0 QA XV GAV [7.875, 2.25, 3.2 CR]	229-44-001	210-42-001	204-54-006	806-29-070	TBD	TBD
816-73-107	08 DHX Air 5.0 QA XV [7.875, 2.25, 3.2 CR]	229-44-001	210-42-001	204-54-006	806-29-070	1,300	200,000
816-73-110	08 DHX Air 5.0 XV [8.50, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-013	806-29-075	TBD	TBD
816-73-113	08 DHX Air 5.0 QA XV [8.50, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-013	806-29-075	1,350	200,000
816-73-120	08 DHX Air 5.0 XV [8.75, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-012	806-29-075	TBD	TBD
816-73-123	08 DHX Air 5.0 QA XV [8.75, 2.50, 3.1 CR]	229-44-002	210-42-002	204-54-012	806-29-075	1,350	135,000
816-73-130	08 DHX Air 5.0 XV [9.00, 2.75, 3.3 CR]	229-44-003	210-42-003	204-54-012	806-29-079	TBD	TBD
816-73-133	08 DHX Air 5.0 QA XV [9.00, 2.75, 3.3 CR]	229-44-003	210-42-003	204-54-012	806-29-079	TBD	TBD
816-73-140	08 DHX Air 5.0 XV [9.50, 3.00, 3.4 CR]	229-44-004	210-42-004	204-54-014	806-29-073	TBD	TBD
816-73-143	08 DHX Air 5.0 QA XV [9.50, 3.00, 3.4 CR]	229-44-004	210-42-004	204-54-014	806-29-073	1,475	135,000