Service Intervals

Service Intervals	Judy	Dart	Pilot	Duke	Psylo	Tora	Recon	Reba
Clean dirt and debris from upper tubes	E	E	E	E	E	E	E	E
Inspect upper tubes for scratches	E	E	E	E	E	E	E	E
Lubricate dust seals/upper tubes	10	10	10	10	10	10	10	10
Check top caps, brake posts and shaft bolts for proper torque	25	25	25	25	25	25	25	25
Check air pressure			E	E	E	E	E	E
Remove lower legs, clean/inspect bushings and change oil bath	50	50	50	50	50	50	50	50
Change damping oil	100	100	100	100	100	100	100	100
Clean and lubricate air spring assembly o-rings			50	50	50	50	50	50
Clean and lubricate coil spring	100	100	100	100	100	100	100	100
Service Intervals	Revelation	Pike	Domain	Lyrik	Totem	Argyle	SID	Boxxer
Clean dirt and debris from upper tubes	E	E	E	E	E	E	E	E
Inspect upper tubes for scratches	E	E	E	E	E	E	E	E
Lubricate dust seals/upper tubes	10	10	10	10	10	10	10	10
Check top caps, brake posts and shaft bolts for proper torque	25	25	25	25	25	25	25	25
Check air pressure	E	E		E	E	E	E	E
Remove lower legs, clean/inspect bushings and change oil bath	50	50	50	50		50	50	100
Change damping oil	100	100	100	100	100	100	100	100
Clean and lubricate air spring assembly o-rings	50	50		50	50	50	50	50
Clean and lubricate coil spring	100	100	100	100	100	100		100
Change oil bath with Speed Lube					25			
Service Intervals	SID Rear	BAR Rear	Ario Rear	MC Rear	Pearl Rear			
Clean shock with mild soap and a toothbrush	8	8	8	8	8			
Keep mounting hardware clean and lubricated	8	8	8	8	8			
Check air pressure	E	E	E	E	E			
Clean and lubricate air spring assembly o-rings	50	50	50	50	50			
Remove, clean and lube air can air/dust seals	50	50	50	50	50			
Remove, clean and grease mounting hardware	20	20	20	20	20			

E= Every Ride
Numeric values represent hours of Riding Time.
Increase service intervals based on rider weight, aggressive riding style/conditions, inclement weather, racing and use of disc brakes,

Air

Tora Solo Air		
Rider Weight	**80mm**	**100-130mm**
<140 lb (63 kg)	120-140 psi	80-100 psi
140-160 lb (63-72 kg)	140-160 psi	100-120 psi
160-180 lb (73-81 kg)	160-180 psi	120-140 psi
180-200 lb (81-90 kg)	180-200 psi	140-160 psi
>200 lb (90 kg)	200+ psi	160+ psi

Recon Solo Air		
Rider Weight	**80mm**	**100-130mm**
<140 lb (63 kg)	90-110 psi	50-70 psi
140-160 lb (63-72 kg)	110-125 psi	70-85 psi
160-180 lb (73-81 kg)	125-140 psi	85-100 psi
180-200 lb (81-90 kg)	140-160 psi	100-120 psi
>200 lb (90 kg)	160+ psi	120+ psi

Reba / Pike / Revelation		
Rider Weight	**Reba/Pike/Revelation Dual Air**	**Reba/Pike/Revelation Air U-Turn**
<140 lb (63 kg)	70-90 psi	90-115 psi
140-160 lb (63-72 kg)	90-105 psi	115-130 psi
160-180 lb (73-81 kg)	105-120 psi	130-145 psi
180-200 lb (81-90 kg)	120-135 psi	145-160 psi
>200 lb (90 kg)	135-150 max psi	160-175 max psi

Argyle Solo Air	
Rider Weight	**100mm**
<140 lb (63 kg)	120-135 psi
140-160 lb (63-72 kg)	135-150 psi
160-180 lb (73-81 kg)	150-165 psi
180-200 lb (81-90 kg)	165-180 psi
>200 lb (90 kg	180-220 max psi

Lyrik		
Rider Weight	**Lyrik Solo Air**	**Lyrik 2-Step**
<140 lb (63 kg)	35-45 psi	60-80 psi
140-160 lb (63-72 kg)	45-55 psi	80-90 psi
160-180 lb (73-81 kg)	55-65 psi	90-100 psi
180-200 lb (81-90 kg)	65-75 psi	100-110 psi
200-220 lb (90-99 kg)	75-85 psi	110-120 psi
>200 lb (99 kg	85-105 max psi	120-145 max psi

Totem		
Rider Weight	**Totem Solo Air**	**Totem 2-Step**
<140 lb (63 kg)	35-50 psi	60-85 psi
140-160 lb (63-72 kg)	50-55 psi	85-90 psi
160-180 lb (73-81 kg)	55-60 psi	90-105 psi
180-200 lb (81-90 kg)	60-65 psi	105-115 psi
200-220 lb (90-99 kg)	65-70 psi	115-125 psi
>200 lb (99 kg)	70-80 max psi	125-145 max psi

2006-2007 Boxxer World Cup Solo Air	
Rider Weight	**Boxxer Solo Air**
<120 lb (55 kg)	100-110 psi
120-140 lb (55- 63 kg)	110-120 psi
140-160 lb (63-73 kg)	120-140 psi
160-180 lb (73-81 kg)	140-160 psi
180-200 lb (81-90 kg)	160-180 psi
>200 lb (90 kg)	180+ psi

2001-2007 SID Dual Air			
Rider Weight	**Positive Spring**	**Negative Spring (XC Setting)**	**Negative Spring (Racing Setting)**
<120 lb (54 kg)	70-80 psi	70-80 psi	40-60 psi
120-140 lb (54-64 kg)	80-100 psi	80-100 psi	60-80 psi
140-160 lb (64-73 kg)	100-120 psi	100-120 psi	80-100 psi
160-180 lb (73-82 kg)	120-140 psi	120-140 psi	100-120 psi
>180 lb (82 kg)	140-160 psi	140-160 psi	120-140 psi

2002-2005 Duke C, XC, SL, Race		
Rider Weight	**Positive Spring**	**Negative Spring (02 Race only)**
<140lb (64 kg)	80-115 psi	60-115 psi
140-160lb (64-73 kg)	115-130 psi	95-130 psi
160-180lb (73-82 kg)	130-145 psi	110-145 psi
180-200lb (82-91 kg)	145-160 psi	125-160 psi
>200lb (91 kg)	160-180 psi (max)	160-180 psi

2003-2005 Pilot Air Assist	
Rider Weight	**Positive Spring**
<140lb (63 kg)	0
140-160lb (63-72 kg)	0-5 psi
160-180lb (72-82 kg)	5-10 psi
180-200lb (81-91 kg)	10-15 psi
>200lb (91 kg)	15-20 psi

2005-2007 MC3 / MC3R Rear Shock		
Rider Weight	**Trek Fuel 1.9 - 2.3 lev ratio**	**Trek Fuel EX 2.4 - 2.7 leverage ratio**
100-120lb (45-54 kg)	20-30 psi	50-70 psi
120-140lb (54-64 kg)	30-45 psi	70-90 psi
140160lb (64-73 kg)	45-55 psi	90-110 psi
160-180lb (73-82 kg)	55- 70 psi	110-130 psi
180-200lb (82-91 kg)	70-80 psi	130-145 psi
200-220lb (91-100 kg)	80-95 psi	145-165 psi
220-240lb (100-109 kg)	95-100 psi	165-185 psi

All rear air shocks should measure 20% compression sag, when seated, as a starting point for air pressure setting. Air pressure setting for RockShox air rear shocks depends on rider weight, frame type and preference.

Springs

2006 Judy J1, J2, J3 - 2003-2005 Judy TT, C, XC - 2003-2005 Pilot C		
Rider Weight	**Spring Color**	**Part #**
<140 lbs (63 kg)	Black (80-100mm), Yellow (125mm)	11.4311.122.000
140-160 lbs (63-72 kg)	Yellow (80-100mm), Red (125mm)	11.4311.121.000
160-180 lbs (72-82 kg)	Red (80-100mm), Blue (125mm)	11.4310.668.000
>180 lbs (82 kg)	Blue (80-100mm), Black (125mm)	11.4310.674.000
Kit includes 2 springs: 80-100mm and 125mm (2006 only), Preload Top Cap, and Spring Spacers.		

2004-2005 Judy SL U-Turn		
*** Rider weight and U-Turn travel** (70-115mm)	**Spring Color**	**Part #**
<140 lbs (63 kg)	Red	11.4308.292.001
140-170 lbs (63-77 kg)	Blue (Standard)	11.4308.292.000
>170 lbs (77 kg)	Black	11.4308.292.003
Spring Rate increases as U-Turn travel setting decreases. Spring kit includes Top Cap/Spring/Shaft Assembly only		

2006 Judy J4 U-Turn		
*** Rider weight and U-Turn travel (80-125mm)**	**Spring Color**	**Part #**
<140 lbs (63 kg)	Yellow	11.4310.669.000
140-160 lbs (63-72 kg)	Red	11.4310.670.000
160-180 lbs (72-82 kg)	Blue (Standard)	11.4310.671.000
>180 lbs (82 kg)	Black	11.4310.672.000
Spring Rate increases as U-Turn travel setting decreases. Spring kit includes Top Cap/Spring/Shaft Assembly only		

2007 Dart 1, 2, 3		
*** Rider weight and U-Turn travel (80-125mm)**	**Spring Color**	**Part #**
<140 lbs (63 kg)	Black	11.4015.041.000
140-170 lbs (63-77 kg)	Yellow	11.4015.040.000
>170 lbs (77 kg)	Red	11.4015.039.000

2003-2005 Pilot XC, SL - 2002 Judy XC/SL		
Rider Weight (approximate)	**Spring Color**	**Part #**
<140 lbs (63 kg)	Red	11.4308.942.000
140-160 lbs (63-72 kg)	Blue	11.4306.208.000
160-180 lbs (72-82 kg)	Green	11.4308.812.000
>180 lbs (82 kg)	Orange	11.4308.813.000
Spring rates can be substituted for air pressure additions		

Duke U-Turn		
*** Rider weight and U-Turn travel (63-115mm)**	**Spring Color**	**Part #**
<140 lbs (63 kg)	Yellow	11.4307.371.001
140-160 lbs (63-72 kg)	Red	11.4307.371.002
160-180 lbs (72-82 kg)	Blue (Standard)	11.4307.371.003
>180 lbs (82 kg)	Black	11.4307.371.004
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly only		

Psylo U-Turn		
*** Rider weight and U-Turn travel (80-125mm)**	**Spring Color**	**Part #**
<140 lbs (63 kg)	Yellow	11.4306.270.001
140-160 lbs (63-72 kg)	Red (Standard)	11.4306.270.002
160-180 lbs (72-82 kg)	Blue	11.4306.270.003
>180 lbs (82 kg)	Black	11.4306.270.004
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly only		

Tora Fixed Coil		
*** Rider weight**	**Spring Color**	**Part#**
<140 lbs (63 kg)	Yellow	11.4311.374.000
140-160 lbs (63-72 kg)	Red (Standard)	11.4311.375.000
160-180 lbs (72-82 kg)	Blue	11.4311.376.000
>180 lbs (82 kg)	Black	11.4311.377.000
Spring kit includes Preload Top Cap and Spring Spacer		

Tora / Recon U-Turn			
*** Rider weight and U-Turn travel**	**Spring Color**	**Tora Spring Part# 80mm-130mm**	**Recon Spring Part# 80mm-130mm**
<140 lbs (63 kg)	Yellow	11.4310.168.000	11.4310.136.000
140-160 lbs (63-72 kg)	Red (Standard)	11.4310.169.000	11.4310.137.000
160-180 lbs (72-82 kg)	Blue	11.4310.170.000	11.4310.138.000
>180 lbs (82 kg)	Black	11.4310.171.000	11.4310.139.000
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly only			

Springs

Pike / Revelation U-Turn			
*** Rider weight and U-Turn travel**	**Spring Color**	**Pike 90-140mm**	**Revelation 80-130mm**
<140 lbs (63 kg)	Yellow	11.4310.136.000	11.4309.043.000
140-160 lbs (63-72 kg)	Red (Standard)	11.4310.137.000	11.4309.044.000
160-180 lbs (72-82 kg)	Blue	11.4310.138.000	11.4309.045.000
>180 lbs (82 kg)	Black	11.4310.139.000	11.4309.046.000
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly Only			

Domain Coil		
Rider weight	**Spring Color**	**Part#**
<140 lbs (63 kg)	White	11.4015.179.000
140-160 lbs (63-72 kg)	Silver	11.4015.047.000
160-180 lbs (72-82 kg)	Red	11.4015.046.000
180-200 lb (82-91 kg)	Yellow	11.4015.045.000
>200 lb (91kg)	Blue	11.4015.048.000

Domain U-Turn		
Rider weight	**Spring Color**	**Part#**
<140 lbs (63 kg)	White	11.4015.062.000
140-160 lbs (63-72 kg)	Yellow	11.4015.060.000
160-180 lbs (72-82 kg)	Red	11.4015.059.000
180-200 lb (82-91 kg)	Blue	11.4015.058.000
>200 lb (91kg)	Black	11.4015.061.000
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly Only		

Lyrik U-Turn		
Rider weight	**Spring Color**	**Part#**
<140 lbs (63 kg)	White	11.4015.099.000
140-160 lbs (63-72 kg)	Yellow	11.4015.097.000
160-180 lbs (72-82 kg)	Red	11.4015.096.000
180-200 lb (82-91 kg)	Blue	11.4015.095.000
>200 lb (91kg)	Black	11.4015.098.000
Spring Rate increases as U-Turn travel setting decreases Spring kit includes Top Cap/Spring/Shaft Assembly Only		

Totem		
Rider weight	**Spring Color**	**Part#**
<140 lbs (63 kg)	White	11.4015.138.000
140-160 lbs (63-72 kg)	Silver	11.4015.136.000
160-180 lbs (72-82 kg)	Blue	11.4015.135.000
180-200 lb (82-91 kg)	Yellow	11.4015.134.000
>200 lb (91kg)	Red	11.4015.137.000

Argyle		
Rider weight	**Spring Color**	**Part#**
<140 lbs (63 kg)	Yellow	11.4015.015.000
140-160 lbs (63-72 kg)	Red	11.4115.001.000
160-180 lbs (72-82 kg)	Blue	11.4115.000.000
>180 lbs (82 kg)	Black (standard)	11.4015.016.000

05-06 Boxxer Ride U-Turn		
*** Rider weight and U-Turn travel 125mm-178mm**	**Spring Color**	**Part#**
>150 lb (68 kg)	Yellow	11.4309.240.000
150-175 lb (68-79 kg)	Yellow/Red	11.4309.241.000
175-200 lb (79-91 kg)	Red (Std)	11.4309.242.000
>200 lb (91 kg)	Black	11.4309.870.000

06-07 Boxxer Race/Team		
Rider weight	**Spring Color**	**Part #**
<120 lb (55 kg)	White	11.4311.490.000
120-150 lb (55-68 kg)	Silver	11.4311.489.000
150-180 lb (68-82kg)	Yellow	11.4311.488.000
>180 lb (82 kg)	Red	11.4311.487.000

00-05 Boxxer Race/Team/World Cup			
Rider weight	**Spring Rate**	**Left - Spring Color**	**Right - Spring Color**
<100 lbs (<45 kg)	Extra Soft (20lb)	White	White
100-120 lbs (45-54 kg)	Soft/Extra Soft (25lbs)	White	Silver
120-140 lbs (54-63 kg)	Soft (30lb)	Silver	Silver
140-160 lbs (63-72 kg)	Medium/Soft (35lbs)	Silver	Yellow
160-180 lbs (72-82 kg)	Medium (40lbs)	Yellow	Yellow
180-200 lbs (82-91 kg)	Medium/Firm (45lb)	Yellow	Red
200-220 lbs (91-100 kg)	Firm (50lb)	Red	Red
See 00-05 Boxx Race/Team/World Cup page for part numbers.			

Oil

		Right Leg (Damper)					Left Leg (Spring)			
	Damping System	**Right Leg Top (Volume) cc/ml**	**Oil Weight**	**Right Leg Bottom (Volume) cc/ml**	**Oil Weight**	**Pure/Pure Delite Damper (wt)**	**Left Leg Top (Volume) cc/ml**	**Oil Weight**	**Left Leg Bottom (volume) cc/ml**	**Oil Weight**
2007										
Dart1	n/a	x	x	20	15	x	x	x	20	15
Dart 2	Rebound	150	5	x	x	x	x	x	20	15
Dart 2 Turnkey	Turnkey	93	5	10	15	x	x	x	20	15
Dart 3 Turnkey	Turnkey	93	5	10	15	x	x	x	20	15
Tora 289 Coil	Rebound	145	5	15	15	x	x	x	20	15
Tora 289 U-Turn	Rebound	145	5	15	15	x	x	x	30	15
Tora 302 Coil	Turnkey	145	5	15	15	x	x	x	20	15
Tora 302 U-Turn	Turnkey	145	5	15	15	x	x	x	30	15
Recon 335 Coil	Turnkey	120	5	15	15	x	x	x	30	15
Recon 335 Solo Air	Turnkey	120	5	15	15	x	6	15	15	15
Revelation U-Turn	Motion Control	115	5	15	15	x	x	x	30	15
Argyle 302 Coil	Rebound	130	5	10	15	x	x	x	30	15
Argyle 318 Coil	Motion Control	130	5	10	15	x	x	x	30	15
Argyle 409 Solo Air	Motion Control	130	5	10	15	x	6	15	15	15
Domain 302 Coil	Rebound	200	5	10	15	x	x	x	15	15
Domain 302 U-Turn	Rebound	200	5	10	15	x	x	x	15	15
Domain 318 Coil	Motion Control IS	200	5	10	10	x	x	x	15	15
Domain 318 U-Turn	Motion Control IS	200	5	10	10	x	x	x	15	15
Lyrik U-Turn	Mission Control	112	5	15	15	x	x	x	15	15
Lyrik Solo Air	Mission Control	112	5	15	15	x	6	15	15	15
Lyrik 2-Step Air	Mission Control	112	5	15	15	x	40	2.5	10	15
Totem Coil	Mission Control	137	5	20	15	x	x	x	20	15
Totem Solo Air	Mission Control	137	5	20	15	x	6	15	20	15
Totem 2-Step	Mission Control	137	5	20	15	x	135	2.5	20	15
2006-2007										
Tora U-Turn / Coil	Motion Control	130	5	15	15	x	x	x	30	15
Tora Solo Air	Motion Control	130	5	15	15	x	6	15	15	15
Recon U-Turn	Motion Control	118	5	15	15	x	x	x	30	15
Recon Solo Air	Motion Control	118	5	15	15	x	6	15	15	15
Revelation Dual Air	Motion Control	115	5	15	15	x	6	15	15	15
Revelation Air U-Turn	Motion Control	115	5	15	15	x	6	15	15	15
Pike Air U-Turn	Motion Control	120	5	15	15	x	6	15	15	15
SID Race	Pure Delite	5	15	10	15	1/2 full, 5wt	6	15	10	15
SID Team / World Cup	Motion Control	x	x	10	15	full, 5wt	6	15	10	15
Boxxer Race/Team	Motion Control	150	5	15	15	x	30	15	x	x
Boxxer World Cup	Motion Control	150	5	15	15	x	6	15	15	15
For Complete oil fill instructions, refer to the RockShox Service and Technical Manuals at www.sram.com.										

Oil

		Right Leg (Damper)					Left Leg (Spring)			
	Damping System	**Right Leg Top (Volume) cc/ml**	**Oil Weight**	**Right Leg Bottom (Volume) cc/ml**	**Oil Weight**	**Pure/Pure Delite Damper (wt)**	**Left Leg Top (Volume) cc/ml**	**Oil Weight**	**Left Leg Bottom (volume) cc/ml**	**Oil Weight**
2005-2007										
Reba Dual Air	Motion Control	110	5	15	15	x	6	15	15	15
Reba Air U-Turn	Motion Control	110	5	15	15	x	6	15	15	15
Pike U-Turn	Motion Control	120	5	15	15	x	x	x	15	15
Pike Dual Air	Motion Control	120	5	15	15	x	6	15	15	15
2006										
Judy J1	n/a	20	15	x	x	x	20	15	x	x
Judy J2	Rebound	150	5	x	x	x	20	15	x	x
Judy J2 Turnkey 80/100mm	Turnkey	93	5	10	15	x	20	15	x	x
Judy J2 Turnkey 125mm	Turnkey	109	5	10	15	x	20	15	x	x
Judy J3 80/100mm	Turnkey	93	5	10	15	x	20	15	x	x
Judy J3 125mm	Turnkey	109	5	10	15	x	20	15	x	x
Judy J4	Turnkey	109	5	10	15	x	20	15	30	15
Boxxer Ride	Motion Control	150	5	15	15	x	50	15	x	x
2005										
Judy TT/C	n/a	x	x	x	x	x	x	x	x	x
Judy XC 80mm	HydraCoil2	100	5	x	x	x	x	x	x	x
Judy XC 100mm	HydraCoil2	130	5	x	x	x	x	x	x	x
Judy SL U-Turn	HydraCoil2	150	x	x	x	x	x	x	x	x
Pilot C 80mm	HydraCoil2	110	10	x	x	x	x	x	10	5
Pilot C 100mm	HydraCoil2	130	10	x	x	x	x	x	10	5
Pilot XC/SL	Motion Control	95	5	10	15	x	6	15	10	15
Duke C/XC AIr	Motion Control	95	5	10	15	x	6	15	10	15
Duke XC U-Turn	HydraCoil2	135	5	x	x	x	x	x	30	5
Duke SL/Race	Motion Control	95	5	10	15	x	6	15	10	15
Psylo XC	HydraCoil2	140	5	x	x	x	x	x	30	15
SID Race	Pure DeLite	5	15	10	5	1/2 full, 5wt	6	15	10	5
SID Team/WC	Pure	x	x	10	5	full, 5wt	6	15	10	5
Boxxer Ride	HydraCoil2	220	10	x	x	x	50	15	x	x
Boxxer Race	HydraCoil2	205	10	x	x	x	190	10	x	x
Boxxer Team/World Cup	HydraCoil2	205	5	x	x	x	180	10	x	x
For Complete oil fill instructions, refer to the RockShox Service and Technical Manuals at www.sram.com.										

Axle-to-Crown / Torque

Fork Travel	60mm	63mm	80mm	85mm	95mm	100mm	115mm	125mm	130mm	135mm	140mm	160mm	174mm	180mm	203mm
2003-2005 Metro 26”	423mm														
2003-2005 Metro 700c	456mm														
2004-2005 Judy TT			454mm			471mm									
2004-2005 Judy XC			453mm			470mm									
2004-2005 Judy SL UTurn						486mm									
2006 Judy			454mm			471mm		501mm							
2007 Dart			454mm			471mm									
2003-2005 Pilot			451mm			468mm									
2002-2005 Duke Air			451mm			471mm									
2003-2005 Duke U-Turn		439mm	461mm			484mm									
2001-2005 Psylo			456mm			476mm		501mm							
2006-2007 Tora / Recon			459mm			479mm			509mm						
2006-2007 Tora 29er			492mm			512mm									
2005-2007 Reba				458mm		473mm	488mm								
2005-2007 Reba 29er			490mm			510mm									
2006-2007 Revelation						478mm	493mm		508mm						
2005-2007 Pike					473mm				508mm		518mm				
2007 Domain							500mm					545mm		565mm	
2007 Lyrik							500mm					545mm			
2007 Totem										530mm				565mm	
2007 Argyle						491mm									
1999-2007 SID Dual Air		434mm	451mm												
2005-2006 Boxxer Ride									494mm				544mm		
2000-2007 Boxxer													544mm		568mm

Suspension Fork	Minus (-)	Torque - inch pounds	Plus (+)
Top Cap Aluminum, All	10	65	10
Top Cap, Plastic, All	10	65	10
Bottom Bolt, 8mm, Solid	15	60	10
Bottom Bolt, 8mm, Hollow	15	60	15
Bottom Bolt, 8mm, Boxxer	15	60	15
Bottom Bolt, 8mm, Dual Air	10	45	10
Brake Post	15	80	15
Crown Bolt, Boxxer	15	65	15
Knob Screw, 4mm, U-Turn/Pure Climb-It Knob	2	12	2
Axle Pinch Bolt, Boxxer	5	25	5
Air Valve Core, Schrader Type	2	10	2
Axle Bolt, Boxxer	10	50	10
SID Upper Tube Threaded Retainer	15	60	15
Air Valve Assembly, Schrader Type	10	30	10
Top Cap, U-Turn Air	15	130	15
Pure Compression Piston Bolt	10	40	10
Pure Rebound Piston Bolt	10	40	10
Poploc Clamp Bolt	2	20	2
Blackbox Lever Clamp Bolt	2	8	2
Pure Remote Knob Cable Set-Screw	2	8	2
Rear Shock			
Schrader Valve Core	2	10	2
Schrader Valve Housing	5	30	5
Shaft-Eyelet Assembly	5	105	5
Air Can Lock Ring	10	65	10
Air U-Turn Air Can Assembly	5	65	5