


AMP RESEARCH B-3

How one AMP sparked a revolution




■ As with most famous people, much of what mountain bikers know of Horst Leitner is a collage of remarks, an occasional photo and a smattering of vague references pieced together into a stylized portrait. Horst is a quiet man who loves mechanical things. He is an accomplished motorcycle racer, designer, engineer and businessman. What motivated Horst to design bicycles had more to do with his boyish curiosity than anything else. Horst's motorcycle accessory business, AMP Research, is located smack in the middle of some of the best mountain bike country in Southern California. He became interested in mountain bicycles after his two sons took up the sport. Initially, Horst thought mountain bikes were ill-handling, underpowered and too fragile. He was right—especially considering the level of sophistication of the motorcycles he designs, builds and modifies in his Laguna Beach design house.

Unfortunately for the Austrian-born designer, Horst had been infected with incurable mountain bike *bacillus*. It was only a matter of time until he was spending late nights at the drafting table, abandoning his motorized customers in favor of fiddling with bicycle designs. Before fabricating his first suspension bicycle, Horst made full-sized models of his suspension concepts using his "CAD" (cardboard-aided design) system. Using strips of cardboard and pins, he could assess exactly how each suspension concept reacted to chain tension and braking torque. He developed the now ubiquitous "Horst Link," because he firmly believed that any good suspension should be active full-time. Soon a steady trickle of ever-improving Horst suspension bicycles were being sighted in the coastal hills above the AMP factory (with his sons on board).

As one of the few active, independent motorcycle designers, Horst came loaded for bear into the bicycle field. His AMP

AMP B-3



linkage fork was easy for him to design. Horst had built some prototype long-travel versions for full-sized motocrossers: very trick, very light and very difficult for his friends to believe in. Horst simply scaled down the motorcycle fork to postage-stamp size and *voilà!*—a two-inch-travel mountain bike fork was born. Horst was shocked to discover that his new mountain biker friends didn't believe in his concept, either. Horst persuaded his sons to be his test riders until his fork was ready to sell to the public. At that point, Horst proclaimed to one and all that he didn't like bicycles and had no plans to enter the bicycle industry. "Motorcycles are my only interest," he insisted.

Horst was hindered by the fact that he knew absolutely zip about bicycles (and almost everything about suspension). His turning point came when Mongoose got wind of his efforts and asked him to design a full-suspension frame for its brand. Mongoose added some bicycle know-how to the project and placed orders. Oddly, at this time Horst still maintained that he wasn't going to manufacture any bicycle stuff. Madness doesn't happen overnight; it occurs over time in tiny steps. Two years later, AMP would double in size in order to accommodate its frame and fork manufacturing operation. (By the way, Horst races bicycles now.)

If you have any doubts as to why Horst Leitner's name comes up in bicycle conversations more than any other, it is because his design concepts or products ap-

pear on Specialized, Mongoose, Rocky Mountain, Funk, Dean, KTM, Fat Chance and, of course, his own bikes—the AMP Research B-3s.

FIRST LOOK

AMP's latest version carries the designation B-3. The uninitiated viewer would be hard-pressed to distinguish the improvements between the '94 B-3 and previous models. The B-3 has a shorter MacPherson strut and shorter shock body to add rigidity to the rear end. A minuscule bolt-on alloy brake bridge further stiffens the rear stays. A new-style saddle gusset reinforces the lower top/head tube junction, and welding quality has improved overall construction noticeably (nice touch).

Retained on the '94 AMP B-3 is the signature double downtube design that AMP developed for the Mongoose Amplifier version of the frameset. The frame's top tube slopes dramatically to give the bike plentiful standover height. An oversized seat tube extends well above the top tube junction to support the seatpost. A formed-sheet aluminum gusset keeps the seat/top tube junction from becoming overstressed. Both the front and rear sections are TIG-welded, 6061 T-6 aluminum alloy. The frames are ball-burnished after final heat-treating to a near-polished luster.

Our 17-inch B-3 was outfitted with a no-nonsense combination of Shimano and Control Tech components that gave the AMP the look of a military fighter jet—all silver and all business. Front and rear

Stripped-down and ready for action: The now familiar Horst Leitner suspension frame mirrors its designer's minimalist philosophy: no paint, nothing extra whatsoever. The AMP only wears what's required to go to the dance... lightweight performance.

suspension featured the newest versions of AMP trickery. Currently, AMP sells only frames and forks, but plans are in the works for complete bicycles.

THE NUMBERS GAME


AMP Research offers small, medium and large frame sizing. *MBA's* medium-size test bike was effectively a 17-inch frame with a 23-inch top tube. Chainstays on all sizes run 16.75 inches. The B-3's bottom bracket was 12.5 inches high; wheelbase worked out to a longish 42.625 inches, while frame angles were a conservative 71-degree head and 72-degree seat. Frame weight hovered at 4.3 pounds, including shock. The complete bicycle weighed in at 25 pounds. Our AMP thru-shock was outfitted with a titanium spring, which should be available in the near future. Until then, eat your heart out! The cost for a frame and AMP fork will run \$1350. For info contact AMP Research, 1855 Laguna Canyon Rd., Laguna Beach, CA 92651; (714) 497-7525.

COMPONENT PICKS

The AMP B-3 was set up with an XTR/Control Tech ensemble. The control room was attached to a Control Tech five-degree-rise/125mm-reach stem,



The heart of the matter: Whoomp . . . there it is! This is the authentic Horst Link. The wheel is attached to the seat stay. The dropout pivots below center and the swingarm is a short, straight link to the bottom bracket pivot.



Mister minimal: In an effort to reduce brake-induced chainstay flex, Horst installed a diminutive clamp-on bridge to his '94 AMPs. Also visible is the right-hand cable routing atop the Marinovator brakes.

through both ends. No volume change. No need for nitrogen. No compensation required. No fuss. Rebuilding the AMP shock is as simple as unscrewing one end, replacing some O-rings and oil, then threading the end cap back in place. Most elastomer units aren't that simple.

Leitner's design isn't all rainbows. Hard use causes the shock units to suck minute amounts of air past the O-rings—not enough to cause fading, just an annoying hiss on big hits.

Wheel travel up front is two inches and rear-wheel travel is 2.5 inches. A wide variety of spring rates is available for both ends from AMP Research: Fork springs run in 900-, 1050-, 1150- and 1220-pound increments, while shock springs are available in 450-, 490- and 520-pound ratings.

SUGGESTION BOX

We would only change a few minor points to tweak the AMP B-3 to our satisfaction: (1) The shock could use a bit less compression damping and more rebound. This would smooth out the chatter bumps and extend the shock performance to han-

AMP B-3

dle larger hits. (2) The forks are harsh over the chatter bumps, but still tend to blow through the travel on hard impacts. Either a stiffer coil spring with less preload or a softer coil spring and more efficient bottom-out bumper would remedy the situation. AMP forks all seem to be a tad harsh on the slow-speed, ripply bumps regardless of setup. (3) As usual with MacPherson rear ends, the rear brake action is sub-good. The Marinovator brake is better than most. Adding an extra brake booster and removing the Servowave function from the XTR lever would firm up the rear brake significantly.

WHAT DO WE THINK?

AMP Research's latest and greatest still sets the high-water mark for the other MacPherson dudes to match. The B-3 is way light, handles throughout a wide speed range and doesn't have any bad habits now. Cross-country racers don't have an excuse to avoid full suspension. This is the most active suspension bike on the market, lighter than most rigid bikes and, without a doubt, the origin of the MacPherson species. If you feel ready to step up to active suspension, you will be hard-pressed to find a better reason than the AMP to go for it. □

FOR THOSE
WHO GO

FAST



*If you fit the above description,
this is for you.*

*With TAES bar ends the least of your
worries will be hand/arm fatigue.*

*Because TAES bar ends are made
from a single piece of space age
polymer which has excellent shock
deadening characteristics.*

*No welds, no glue, lots of strength &
comfort.*

*So if you are into fast movin', get a
hold of TAES bar ends.*

TAES

No.347, Sec2, Chung Cheng Rd., Chang Hua,
Taiwan R.O.C.

Tel (886) 47 567848

Fax (886) 47 567522

Pat. Pending. OEM Enquiries Welcome