

Reactor RS: £6000 (GBP) / \$7600 (Euro) / \$7800 (USD)



- **Frame:** Nukeproof Reactor 290 Carbon, 130mm Travel, UD woven Carbon Fibre frame, internal cable routing, ISCG 05 mounts, Enduro bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured rubber frame protection
- **Fork:** RockShox Lyrik Ultimate Charger 2.1 RC2 150mm, 42mm Offset, BOOST, Debonair, Gloss Red
- **Shock:** RockShox Super Deluxe Ultimate RCT, Custom Rebound LIN / L Compression 320 tune, 210x50mm, Bearing End, 1x bottomless token fitted.
- **Front Wheel:** DT Swiss XM1700 Spline 30, 29", 6 Bolt, 110x15mm
- **Rear Wheel:** DT Swiss XM1700 Spline 30, 29", 6 Bolt, XD Driver, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29"x2.5 WT 3C MaxxTerra/EXO+/TR, Rear: Maxxis Dissector 29"x2.4 WT 3C MaxxTerra/EXO+/TR
- **Crankset:** SRAM X1 Carbon Eagle 12-Speed, 170mm, 30T, B148, DUB
- **Shifter:** SRAM AXS Eagle 12-Speed, Red
- **Rear Derailleur:** SRAM AXS X01 Eagle 12-Speed, Red
- **Chain:** SRAM GX Eagle 12-Speed
- **Cassette:** SRAM X01 Eagle 12-Speed, CS XG1295 EAGLE 10-52T
- **Brakes:** SRAM Code RSC Sintered Pads
- **Front Rotor:** SRAM Centreline, 200mm
- **Rear Rotor:** SRAM Centreline, 180mm
- **Handlebars:** Nukeproof Horizon Carbon V2 25mm Rise, Width - M780mm, L800mm, XL800mm
- **Stem:** Nukeproof Horizon, 45mm, Black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Bikeyoke Revive Stealth with Triggy Long Lever; M:160mm drop; L:185mm drop; XL:213mm drop
- **Headset:** Nukeproof, 44-56 IITS
- **Grips:** Nukeproof Sam Hill Signature
- **Weight:** 13.86kg Medium Tubeless

Reactor Factory: £5300 (GBP)/ \$6800 (Euro) / £7000 (USD)



- **Frame:** Nukeproof Reactor 290 Carbon, 130mm Travel, UD woven Carbon Fibre frame, internal cable routing, ISCG 05 mounts, Enduro bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured rubber frame protection
- **Fork:** Fox 36 Float, Factory Series, Kashima, Grip 2 Damper, 150mm, 44mm Offset, BOOST, Black
- **Shock:** Fox Float X, Factory Series, Kashima, 2 Position, EVOL LV, Custom CM+, RM, M, M+ tune, 210x50mm, Bearing End, 1x 0.2 spacer fitted.
- **Front Wheel:** DT Swiss XM1700 SPLINE 30,29", 6 Bolt, 110x15mm
- **Rear Wheel:** DT Swiss XM1700 SPLINE 30, 29", 6 Bolt, Shimano Microspline Driver, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29"x2.5 WT 3C MaxxTerra/EXO+/TR, Rear: Maxxis Dissector 29"x2.4 WT 3C MaxxTerra/EXO+/TR
- **Crankset:** Shimano XT M8100 12-Speed, Hollowtech 2, 170mm, 30T, 52mm Chainline
- **Shifter:** Shimano XT M8100-R, 12-speed Rapidfire Plus, I-Spec EV
- **Rear Derailleur:** Shimano XT M8100, SGS 12-Speed, Shadow Plus
- **Chain:** Shimano XT M8100 HG 12-speed Inc Quicklink
- **Cassette:** Shimano XT M8100-12, 12-Speed (HYPERGLIDE+), 10-51T
- **Brakes:** Shimano XT M8120, 4 Pot Brake, Metallic Pads
- **Front Rotor:** Brakco, 203mm
- **Rear Rotor:** Brakco, 180mm
- **Handlebars:** Nukeproof Horizon V2 25mm Rise, Width - M780mm, L800mm, XL800mm
- **Stem:** Nukeproof Horizon, 45mm, Black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Bikeyoke Divine Stealth with Brand-X Remote lever, M:160mm drop; L/XL:185mm drop
- **Headset:** Nukeproof, 44-56 IITS

- **Grips:** Nukeproof Sam Hill Signature
- **Weight:** 14.19kg Medium Tubeless

Reactor Elite: £4400 (GBP) \$5600 (Euro) / \$5800 (USD)



- **Frame:** Nukeproof Reactor 290 Carbon, 130mm Travel, UD woven Carbon Fibre frame, internal cable routing, ISCG 05 mounts, Enduro bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured rubber frame protection
- **Fork:** Fox 36 Float, Performance Elite Series, Grip 2 Damper, 150mm, 44mm Offset, BOOST, Black
- **Shock:** Fox Float X, Performance Elite Series, 2 Position, LV EVOL, Custom CM+, RM, M, M+ tune, 210x50mm, Bearing End, 1x 0.2 spacer fitted.
- **Front Wheel:** Nukeproof Horizon V2 29", 6 Bolt, 110x15mm
- **Rear Wheel:** Nukeproof Horizon V2 29", 6 Bolt, Shimano Microspline Driver, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29"x2.5 WT 3C MaxxTerra/EXO+/TR, Rear: Maxxis Dissector 29"x2.4 WT 3C MaxxTerra/EXO+/TR
- **Crankset:** Shimano SLX M7100 12-Speed, Hollowtech 2, 170mm, 30T, 52mm Chainline
- **Shifter:** Shimano SLX M7100-IR, 12-speed Rapidfire Plus, I-Spec EV
- **Rear Derailleur:** Shimano SLX M7100, SGS 12-Speed, Shadow Plus
- **Chain:** Shimano SLX M7100 HG 12-speed Inc Quicklink
- **Cassette:** Shimano SLX M7100-12, 12-Speed (HYPERGLIDE+), 10-51T
- **Brakes:** Shimano SLX M7120, 4 Pot Brake, Metallic Pads
- **Front Rotor:** Brakco, 203mm
- **Rear Rotor:** Brakco, 180mm
- **Handlebars:** Nukeproof Horizon V2 25mm Rise, Width - M780mm, L800mm, XL800mm
- **Stem:** Nukeproof Horizon, 45mm, Black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Brand-X Ascend internal with Brand-X Remote lever, M:150mm drop; L:170mm drop; XL:200mm drop
- **Headset:** Nukeproof, 44-56 IITS
- **Grips:** Nukeproof Sam Hill Signature
- **Weight:** 14.66kg Medium Tubeless

Reactor Pro: £3700 (GBP) / \$4700 (Euro) / \$4800 (USD)



- **Frame:** Nukeproof Reactor 290 Alloy, 130mm Travel, custom triple butted hydro-formed tube set for front triangle and chain stays, UD woven carbon fibre Seat stays, internal cable routing, internal cable routing, ISCG 05 mount, Enduro bearings, threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured rubber frame protection.
- **Fork:** RockShox Lyrik Select + Charger 2.1 RC 150mm, 42mm Offset, BOOST, Debonair, Gloss Black
- **Shock:** RockShox Super Deluxe Select+ RT, Custom Rebound LIN / Compression L 320 tune, 210x50mm, Bearing End, 1x bottomless token fitted.
- **Front Wheel:** Nukeproof Neutron V2 29", Tubeless Ready, 32h, 110x15mm
- **Rear Wheel:** Nukeproof Neutron V2 29", Tubeless Ready, 32h, SRAM XD Driver with 36 points of engagement, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29"x2.5 WT 3C MaxxTerra/EXO+/TR, Rear: Maxxis Dissector 29"x2.4 WT 3C MaxxTerra/EXO+/TR
- **Crankset:** SRAM GX Eagle 12-Speed, 170mm, 30T, B148, DUB
- **Shifter:** SRAM GX Eagle 12-Speed
- **Rear Deraileur:** SRAM GX Eagle 12-Speed
- **Chain:** SRAM GX Eagle 12-Speed
- **Cassette:** SRAM GX Eagle 12-Speed, CS XG1275 EAGLE 10-52T
- **Brakes:** SRAM Guide RE
- **Front Rotor:** SRAM Centreline, 200mm
- **Rear Rotor:** SRAM Centreline, 180mm
- **Handlebars:** Nukeproof Horizon V2 25mm Rise, Width - M780mm, L800mm, XL800mm
- **Stem:** Nukeproof Neutron AM, 45mm, black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Brand-X Ascend internal, 31.6mm, M:150mm drop; L: 170mm drop; XL:200mm drop

- **Headset:** Nukeproof, 44-56 IITS
- **Grips:** Nukeproof Sam Hill Signature
- **Weight:** 14.73kg Medium Tubeless

Reactor Comp: £3000 (GBP) / \$3800 (Euro) / \$4000 (USD)



- **Frame:** Nukeproof Reactor 290 Alloy, 130mm Travel, custom triple butted hydro-formed tube set for front triangle and chain stays, UD woven carbon fibre Seat stays, internal cable routing, internal cable routing, ISCG 05 mount, Enduro bearings, threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured rubber frame protection.
- **Fork:** Marzocchi Bomber Z2, 150mm, 44mm Offset, BOOST, RAIL Damper, Gloss Black
- **Shock:** RockShox Super Deluxe Select R, Custom Rebound LIN / L Compression Tune, 210x50mm, Bearing End, 1x bottomless token fitted.
- **Front Wheel:** Sun-Ringle Duroc 35 Comp 29", 15x110mm
- **Rear Wheel:** Sun-Ringle Duroc 35 Comp 29", Shimano Microspline Driver, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29"x2.5 WT 3C MaxxTerra/EXO+/TR, Rear: Maxxis Dissector 29"x2.4 WT 3C MaxxTerra/EXO+/TR
- **Crankset:** Race Face Ride, 12 Speed Crank, 170mm, 30T, 52mm Chainline
- **Shifter:** Shimano Deore M6100-IR, 12-speed Rapidfire Plus, I-Spec EV
- **Rear Derailleur:** Shimano Deore M6100, SGS 12-Speed, Shadow Plus
- **Chain:** Shimano Deore M6100 12-Speed
- **Cassette:** Shimano Deore M6100 12-Speed (HYPERGLIDE+), 10-51T
- **Brakes:** SRAM TBC
- **Front Rotor:** SRAM, 200mm
- **Rear Rotor:** SRAM, 180mm
- **Handlebars:** Nukeproof Neutron V2 25mm Rise, Width - M780mm, L800mm, XL800mm
- **Stem:** Nukeproof Neutron AM, 45mm, black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Brand-X Ascend internal, 31.6mm, M:150mm drop; L:170mm Drop; XL:200mm drop
- **Headset:** Nukeproof, 44-56 IITS
- **Grips:** Nukeproof Sam Hill Signature
- **Weight:** 15kg Medium Tubeless