

ONE-SIXTY 10K

FALL GREEN (FLASH BCP)

 **CF4 III** Full carbon fibre frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features on-board MSP service hatch, WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY CF4 III, 171mm suspension travel mullet / 162mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Flight Attendant, Air, 170mm suspension travel, Tapered, 44mm fork offset, 29x2.8" max. wheelsize, electric suspension system
SHOCK	Rock Shox Super Deluxe Flight Attendant, adjustable low speed compression, electric suspension system
BRAKES	Shimano XTR, 4 piston
ROTORS	Shimano RT-MT900, 203 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XO1 Eagle AXS, wireless
SHIFTERS	Shimano SL -MT800-IL / Sram AXS Rocker Paddle
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram XO1 Eagle Chain
CHAINGUARD	MRP AMg V2 Alloy 26-32T
FREEWHEEL	Sram XG-1295 Eagle, 10-52 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB BSA 73 MTB WIDE
WHEELSET	Reynolds BLACKLABEL Enduro 289/287 I9, 110x15mm width front hub, 148x12mm width rear hub, 28mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty, rear 27.5" up to Size M, rear 29" L & XL
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB Fender
MAX. WEIGHT	135 kg
WEIGHT	15.01 kg, weighed at frame size MID

- X-TAPER HEADTUBE
- INTERNAL CABLE ROUTING
- NANO MATRIX CARBON
- AWS ANTI WRINKLE SYSTEM
- FLOAT LINK REAR SUSPENSION
- NON-SLIP TIGHTENING
- WIRE PORT
- FAST KINEMATIC
- LONG FENDER
- MSP MERIDA SERVICE POUCH

ONE-SIXTY 10K

BLACK (FLASH BCP)

 **CF4 III** Full carbon fibre frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features on-board MSP service hatch, WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY CF4 III, 171mm suspension travel mullet / 162mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Flight Attendant, Air, 170mm suspension travel, Tapered, 44mm fork offset, 29x2.8" max. wheelsize, electric suspension system
SHOCK	Rock Shox Super Deluxe Flight Attendant, adjustable low speed compression, electric suspension system
BRAKES	Shimano XTR, 4 piston
ROTORS	Shimano RT-MT900, 203 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram XO1 Eagle AXS, wireless
SHIFTERS	Shimano SL -MT800-IL / Sram AXS Rocker Paddle
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram XO1 Eagle Chain
CHAINGUARD	MRP AMg V2 Alloy 26-32T
FREEWHEEL	Sram XG-1295 Eagle, 10-52 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB BSA 73 MTB WIDE
WHEELSET	Reynolds BLACKLABEL Enduro 289/287 I9, 110x15mm width front hub, 148x12mm width rear hub, 28mm inner width, Centerlock, Sram XD, material: carbon, Tubeless ready (tubeless tape and valves included), Lifetime warranty, rear 27.5" up to Size M, rear 29" L & XL
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB Fender
MAX. WEIGHT	135 kg
WEIGHT	15.01 kg, weighed at frame size MID

- X-TAPER HEADTUBE
- INTERNAL CABLE ROUTING
- NANO MATRIX CARBON
- AWS ANTI WRINKLE SYSTEM
- FLOAT LINK REAR SUSPENSION
- NON-SLIP TIGHTENING
- WIRE PORT
- FAST KINEMATIC
- LONG FENDER
- MSP MERIDA SERVICE POUCH

ONE-SIXTY 8000

SILK BLUE (GREY/BLACK)

 **CF4 III** Full carbon fibre frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features on-board MSP service hatch, WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | **ENDURO** |



FRAME	ONE-SIXTY CF4 III, 171mm suspension travel mullet / 162mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Ultimate, Air, 170mm suspension travel, Tapered, 42mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Super Deluxe Ultimate, platform, adjustable low speed compression
BRAKES	Shimano XT, 4 piston
ROTORS	Shimano RT86, 203 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle AXS, wireless
SHIFTERS	Shimano SL -MT800-IL / Sram GX AXS Controller
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram GX
CHAINGUARD	MRP AMg V2 Alloy 26-32T
FREEWHEEL	Sram XG-1275 Eagle, 10-52 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB BSA 73 MTB WIDE
WHEELSET	Race Face Turbine R30, 110x15mm width front hub, 148x12mm width rear hub, 28mm inner width, Centerlock, Sram XD, material: aluminium, Tubeless ready (tubeless tape and valves included), Lifetime warranty, rear 27.5" up to Size M, rear 29" L & XL
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB Fender
MAX. WEIGHT	135 kg
WEIGHT	15.3 kg, weighed at frame size MID

-  X-TAPER HEADTUBE
-  INTERNAL CABLE ROUTING
-  NANO MATRIX CARBON
-  AWS ANTI WRINKLE SYSTEM
-  FLOAT LINK REAR SUSPENSION
-  NON-SLIP TIGHTENING
-  WIRE PORT
-  FAST KINEMATIC
-  LONG FENDER
-  MSP MERIDA SERVICE POUCH

ONE-SIXTY 8000

SILK BLACK (SILVER)

 **CF4 III** Full carbon fibre frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features on-board MSP service hatch, WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | **ENDURO** |



FRAME	ONE-SIXTY CF4 III, 171mm suspension travel mullet / 162mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Ultimate, Air, 170mm suspension travel, Tapered, 42mm fork offset, 29x2.8" max. wheelsize
SHOCK	Rock Shox Super Deluxe Ultimate, platform, adjustable low speed compression
BRAKES	Shimano XT, 4 piston
ROTORS	Shimano RT86, 203 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle AXS, wireless
SHIFTERS	Shimano SL -MT800-IL / Sram GX AXS Controller
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	Sram GX
CHAINGUARD	MRP AMg V2 Alloy 26-32T
FREEWHEEL	Sram XG-1275 Eagle, 10-52 teeth, 12 speed
BOTTOM BRAKET	Sram BB DUB BSA 73 MTB WIDE
WHEELSET	Race Face Turbine R30, 110x15mm width front hub, 148x12mm width rear hub, 28mm inner width, Centerlock, Sram XD, material: aluminium, Tubeless ready (tubeless tape and valves included), Lifetime warranty, rear 27.5" up to Size M, rear 29" L & XL
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB Fender
MAX. WEIGHT	135 kg
WEIGHT	15.3 kg, weighed at frame size MID

-  X-TAPER HEADTUBE
-  INTERNAL CABLE ROUTING
-  NANO MATRIX CARBON
-  AWS ANTI WRINKLE SYSTEM
-  FLOAT LINK REAR SUSPENSION
-  NON-SLIP TIGHTENING
-  WIRE PORT
-  FAST KINEMATIC
-  LONG FENDER
-  MSP MERIDA SERVICE POUCH

ONE-SIXTY 6000

DARK PURPLE (SILVER/BLACK)

 **CF4 III** Full carbon fibre frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features on-board MSP service hatch, WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY CF4 III, 171mm suspension travel mullet / 162mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Select, Air, 170mm suspension travel, Tapered, 44mm fork offset, 29x2.6" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano SLX M7120, 4 piston
ROTORS	Shimano RT64, 203 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano SLX M7100 Shadow+, SGS
SHIFTERS	Shimano SL -MT500-IL / Shimano XT, Multi Release
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
FREEWHEEL	Shimano SLX, 10-51 teeth, 12 speed
BOTTOM BRAKET	BB, BSA 73mm– Ø30mm, Ext. Seal
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M, rear 29" L & XL
HUBS	Shimano SLX, 110x15mm width front hub, 32 spoke holes, Centerlock, 148x12mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB Fender
MAX. WEIGHT	135 kg
WEIGHT	15.67 kg, weighed at frame size MID

- 
X-TAPER HEADTUBE
- 
INTERNAL CABLE ROUTING
- 
NANO MATRIX CARBON
- 
AWS ANTIWRINKLE SYSTEM
- 
FLOAT LINK REAR SUSPENSION
- 
NON-SLIP TIGHTENING
- 
WIRE PORT
- 
FAST KINEMATIC
- 
LONG FENDER
- 
MSP MERIDA SERVICE POUCH

ONE-SIXTY 6000

SILK BLACK (SILVER)

 **CF4 III** Full carbon fibre frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features on-board MSP service hatch, WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY CF4 III, 171mm suspension travel mullet / 162mm suspension travel 29", material: carbon, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Zeb Select, Air, 170mm suspension travel, Tapered, 44mm fork offset, 29x2.6" max. wheelsize
SHOCK	Rock Shox Super Deluxe Select+, platform
BRAKES	Shimano SLX M7120, 4 piston
ROTORS	Shimano RT64, 203 mm
HEADSET	MERIDA 8151
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano SLX M7100 Shadow+, SGS
SHIFTERS	Shimano SL -MT500-IL / Shimano XT, Multi Release
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
FREEWHEEL	Shimano SLX, 10-51 teeth, 12 speed
BOTTOM BRAKET	BB, BSA 73mm– Ø30mm, Ext. Seal
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M, rear 29" L & XL
HUBS	Shimano SLX, 110x15mm width front hub, 32 spoke holes, Centerlock, 148x12mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
FENDER	Rock Shox ZEB Fender
MAX. WEIGHT	135 kg
WEIGHT	15.67 kg, weighed at frame size MID

- 
X-TAPER HEADTUBE
- 
INTERNAL CABLE ROUTING
- 
NANO MATRIX CARBON
- 
AWS ANTIWRINKLE SYSTEM
- 
FLOAT LINK REAR SUSPENSION
- 
NON-SLIP TIGHTENING
- 
WIRE PORT
- 
FAST KINEMATIC
- 
LONG FENDER
- 
MSP MERIDA SERVICE POUCH

ONE-SIXTY 700

SILK BRONZE (BLACK/WHITE)

 **LITE III** Lightweight 6066 triple butted aluminium frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY LITE III, 171mm suspension travel mullet / 162mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 170mm suspension travel, Tapered, 44mm fork offset, 29x2.6" max. wheelsize
SHOCK	FOX Float X Performance, platform
BRAKES	Shimano SLX M7120, 4 piston
ROTORS	Shimano RT64, 203 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano SLX M7100 Shadow+, SGS
SHIFTERS	Shimano SL -MT500-IL / Shimano XT, Multi Release
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Race Face BSA 68/73 – 24mm
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M, rear 29" L & XL
HUBS	Shimano SLX, 110x15mm width front hub, 32 spoke holes, Centerlock, 148x12mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg
WEIGHT	16.65 kg, weighed at frame size MID



ONE-SIXTY 700

GUNMETAL GREY (BLACK/WHITE)


 **LITE III** Lightweight 6066 triple butted aluminium frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY LITE III, 171mm suspension travel mullet / 162mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1, Air, 170mm suspension travel, Tapered, 44mm fork offset, 29x2.6" max. wheelsize
SHOCK	FOX Float X Performance, platform
BRAKES	Shimano SLX M7120, 4 piston
ROTORS	Shimano RT64, 203 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano SLX M7100 Shadow+, SGS
SHIFTERS	Shimano SL -MT500-IL / Shimano XT, Multi Release
SEAT POST	MERIDA TEAM TR, 34.9mm diameter, 0mm setback, 30-230mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA EXPERT SL, V-mount, incl. MERIDA minitool
CHAIN	KMC X12
CHAINGUARD	MERIDA EXPERT TR ISCG05
FREEWHEEL	Shimano Deore M6100, 10-51 teeth, 12 speed
BOTTOM BRAKET	Race Face BSA 68/73 – 24mm
RIM	MERIDA EXPERT TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M, rear 29" L & XL
HUBS	Shimano SLX, 110x15mm width front hub, 32 spoke holes, Centerlock, 148x12mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg
WEIGHT	16.65 kg, weighed at frame size MID



ONE-SIXTY 500

SILK CHAMPAGNE (EVERGREEN/BLK)


 **LITE III** Lightweight 6066 triple butted aluminium frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY LITE III, 171mm suspension travel mullet / 162mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Yari RC, Air, 170mm suspension travel, Tapered, 42mm fork offset, 29.5x2.8" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT30, 203 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100 Shadow+, SGS
SHIFTERS	Shimano SL -MT500-IL / Shimano Deore M5100
SEAT POST	MERIDA EXPERT TR II, 34.9mm diameter, 0mm setback, XS: 125mm travel seatpost - S: 150mm travel seatpost - M/L/XL: 200mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X11
CHAINGUARD	MERIDA EXPERT TR ISCG05
FREEWHEEL	Shimano Deore M5100, 11-51 teeth, 11 speed
BOTTOM BRAKET	Race Face BSA 68/73 – 24mm
RIM	MERIDA COMP TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M, rear 29" L & XL
HUBS	Shimano MT400-B, 110x15mm width front hub, 32 spoke holes, Centerlock, 148x12mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg
WEIGHT	16.68 kg, weighed at frame size MID



ONE-SIXTY 500

GUNMETAL GREY (BLACK/WHITE)

 **LITE III** Lightweight 6066 triple butted aluminium frame with FAST kinematic suspension system. Totally modern enduro geometry with ability to run full 29er (162 mm rear travel) or mixed (171 mm rear travel) wheel sizes. Features WIRE PORT cable management and BSA bottom bracket.

| XC/MARATHON | TRAIL | ALL MOUNTAIN | ENDURO |



FRAME	ONE-SIXTY LITE III, 171mm suspension travel mullet / 162mm suspension travel 29", material: aluminium, 29x2.5" max. wheelsize, 148x12mm axle standard, BSA bottom bracket standard
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Yari RC, Air, 170mm suspension travel, Tapered, 42mm fork offset, 29.5x2.8" max. wheelsize
SHOCK	Rock Shox Deluxe Select+, platform
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT30, 203 mm
HEADSET	MERIDA 8158
HANDLEBAR	MERIDA TEAM TR, material: aluminium, 780mm width, XS/S 18mm rise, M/L/XL 30mm rise
HANDLEBAR STEM	MERIDA EXPERT eTRII, material: aluminium, 35mm diameter, 0° stem angle, 40 mm
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore M6100 Shadow+, SGS
SHIFTERS	Shimano SL -MT500-IL / Shimano Deore M5100
SEAT POST	MERIDA EXPERT TR II, 34.9mm diameter, 0mm setback, XS: 125mm travel seatpost - S: 150mm travel seatpost - M/L/XL: 200mm travel seatpost
SEAT CLAMP	MERIDA EXPERT

SADDLE	MERIDA COMP SL, V-mount
CHAIN	KMC X11
CHAINGUARD	MERIDA EXPERT TR ISCG05
FREEWHEEL	Shimano Deore M5100, 11-51 teeth, 11 speed
BOTTOM BRAKET	Race Face BSA 68/73 – 24mm
RIM	MERIDA COMP TR, 29mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), rear 27.5" up to Size M, rear 29" L & XL
HUBS	Shimano MT400-B, 110x15mm width front hub, 32 spoke holes, Centerlock, 148x12mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA COMP TR, including removeable lever, 6 allen key
TYRES	Maxxis Assegai / Maxxis DHR II, 29x2.5", fold, TR DD 3C MaxxGrip, 27.5x2.4" XS/S/M 29x2.4" L/XL, fold, TR DD 3C MaxxTerra
MAX. WEIGHT	135 kg
WEIGHT	16.68 kg, weighed at frame size MID

