

2024

OCCAM





ORBEA

OCCAM OMR SL


Größe	S	M	L	XL
1 - Sitzrohrlänge (C-T)	405	415	430	460
2 - Steuerrohr	570	596	622	649
3 - Steuerrohrlänge	95	100	110	120
4 - Kettenlänger	440	440	440	440
5 - Höhe Tretlager	341	341	341	341
6 - Höhenunterschied zur Pedalachse	37	37	37	37
7 - Achsabstand	1191	1218	1245	1276
8 - Lenkwinkel	65.5	65.5	65.5	65.5
9 - Sitzwinkel	78	78	78	78
10 - Überstandshöhe	-	-	-	-
11 - Rahmenlänge	440	465	490	515
12 - Rahmenhöhe	611	615	624	633
13 - Gabellänge	554	554	554	554
14 - Rake	44	44	44	44

Höhe (cm)	Höhe (in)	Größe
150-170	59.1"-66.9"	S
160-180	63.0"-70.9"	M
170-190	66.9"-74.8"	L
180-200	70.9"-78.7"	XL


 Spaceship Green - Corn
Yellow (Matt)
P4


 Cosmic Carbon View - Meta-
llic Olive Green (Gloss)
P5


 MyO
CM



OCCAM SL M-LTD

Ref. R268

	Kur- bellänge	Vor- baulänge	Lenker- breite	Länge Vari- ostütze
S	165	35	800	455/125
M	170	40	800	480/150
L	170	40	800	480/150
XL	170	50	800	480/150

PRICES

€	\$	£
9.999 €	\$10,599	£ 10,999

Rahmen	Orbea Occam OMR. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels
Dämpfer	Fox Float Factory Remote Push-lock Evol Kashima custom tune 210x50mm
Gabel	Fox 34 Float Factory 140 FIT4 Remote-Adjust Push-lock 2-Position QR15x110 Kashima
Remote Lockout	OC Squidlock MC20 Remote, Dropper, Suspension 2 Pos
Kurbel	SRAM XX Eagle Dub Black 32t
Steuersatz	Alloy 1-1/2", Black Oxidated Bearing
Lenker	OC Mountain Control MC10 Carbon, Rise 20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Griffe	Ergon GXR
Vorbau	OC Mountain Control MC10 Alu SL, 0°
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Schalthebel	SRAM AXS Pod Ultimate



Bremsen	SRAM Level Ultimate 4 piston Stealth Hydraulic Disc
<i>Op.</i>	Shimano XTR M9100 Hydraulic Disc Shimano XTR M9120 Hydraulic Disc
Schaltwerk	SRAM XX Eagle AXS
Kette	SRAM XX Eagle 12-Speed
Lauftradsatz	Oqo Mountain Performance MP30LTD, carbon hookless rim, DT240 S CL hub, 30mm internal width, Sapim CX-Ray TCS spokes, 29"
Kassette	SRAM XX-1297 Eagle 10-52t 12-Speed
Reifen	Schwalbe Wicked Will Evo TLE, 29x2.40 Super Race, Soft Compound, Addix, Brown
<i>Op.</i>	Maxxis Minion DHF 2.5" (F) / Maxxis Dissector 2.40" (R) TLR
Sattelstütze	Fox Transfer SL Factory Kashima Dropper 31.6

<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x363/125mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x418/150mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x475/175mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x530/200mm
Sattel	Fizik Terra Ridon X1 145mm
Akku	SRAM Powerpack
Lagerung	Accessories Containers
Werkzeuge	OC FLP Multitool MT-20, Hex 2, 3, 4, 5

OCCAM SL M10

Ref. R265

	Kur- bellänge	Vor- baulänge	Lenker- breite	Länge Vari- ostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
5.999 €	\$6,499	£ 6,499

Rahmen	Orbea Occam OMR. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels
Dämpfer	Fox Float Factory Remote Push-lock Evol Kashima custom tune 210x50mm
Gabel	Fox 34 Float Factory 140 FIT4 Remote-Adjust Push-lock 2-Position QR15x110 Kashima
Remote Lockout	OC Squidlock MC20 Remote, Dropper, Suspension 2 Pos
Kurbel	Shimano XT M8120 32t
Steuersatz	Alloy 1-1/2", Black Oxidated Bearing
Lenker	OC Mountain Control MC10 Carbon, Rise 20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Griffe	Ergon GXR
Vorbau	OC Mountain Control MC10 Alu SL, 0°
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Schalthebel	Shimano XT M8100 I-Spec EV



Bremsen	Shimano XT M8120 Hydraulic Disc
<i>Op.</i>	Shimano XTR M9120 Hydraulic Disc
Schaltwerk	Shimano XT M8100 SGS Shadow Plus
Kette	Shimano M6100
Lauftradsatz	Oqo Mountain Performance MP-30TEAM, carbon hookless rim, DT350 CL hub, 30mm internal width, Sapim D-Sprint spokes, 29"
<i>Op.</i>	OQO Mountain Control MC32 LTD Carbon OQO Mountain Control MC32TEAM OQO Mountain Performance MP30LTD
Kassette	Shimano CS-M7100 10-51t 12-Speed
Reifen	Schwalbe Wicked Will Evo TLE, 29x2.40 Super Race, Soft Compound, Addix, Brown
<i>Op.</i>	Maxxis Minion DHF 2.5" (F) / Maxxis Dissector 2.40" (R) TLR
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper

<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x363/125mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x418/150mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x475/175mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x530/200mm
Sattel	Fizik Terra Ridon X5 145mm
<i>Op.</i>	Fizik Terra Ridon X1
Lagerung	Accessories Containers
Werkzeuge	OC FLP Multitool MT-20, Hex 2, 3, 4, 5

OCCAM SL M30

Ref. R262

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
4.499 €	\$4,799	£ 4,899



Rahmen	Orbea Occam OMR. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels
Dämpfer	Fox Float Performance Remote Push-lock Evol custom tune 210x50mm
<i>Op.</i>	<i>Fox Float Factory Remote PTL Evol Kashima cm tune 210x50mm</i>
Gabel	Fox 34 Float Performance 140 Remote Push-lock QR15x110
<i>Op.</i>	<i>Fox 34 Float Factory 140 FIT4 Remote PTU QR15x110 Kashima</i>
Remote Lockout	OC Squidlock MC20 Remote, Dropper, Suspension 2 Pos
Kurbel	Race Face Aeffect 32t
Steuersatz	Alloy 1-1/2", Black Oxidated Bearing
Lenker	OC Mountain Control MC30, Rise20, Width 800
<i>Op.</i>	<i>OC Mountain Control MC10 Carbon, Rise 20, Width 800</i> <i>OC Mountain Control MC10 Carbon, Rise 35, Width 800</i>
Griffe	OC Lock On
<i>Op.</i>	<i>Ergon GE10</i>


Vorbau	OC Mountain Control MC20, 0°
<i>Op.</i>	<i>OC Mountain Control MC10 Alu SL, 0°</i>
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Schalthebel	Shimano SLX M7100 I-Spec EV
Bremsen	Shimano M6100 Hydraulic Disc
<i>Op.</i>	<i>Shimano M6120 Hydraulic Disc</i> <i>Shimano XT M8100 Hydraulic Disc</i>
Schaltwerk	Shimano XT M8100 SGS Shadow Plus
Kette	Shimano M6100
Laufbandsatz	Race Face AR 30c Tubeless Ready
<i>Op.</i>	<i>OQUO Mountain Control MC32TEAM</i> <i>OQUO Mountain Performance MP28 PRO</i> <i>OQUO Mountain Performance MP-30TEAM</i>
Kassette	Shimano CS-M7100 10-51t 12-Speed
Reifen	Schwalbe Wicked Will Evo TLE, 29x2.40 Super Race, Soft Compound, Addix, Brown
<i>Op.</i>	<i>Maxxis Minion DHF 2.5" (F) / Maxxis Dissector 2.40" (R) TLR</i>


Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm</i>
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x363/125mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x418/150mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x475/175mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x530/200mm</i>
Sattel	Fizik Terra Ridon X5 145mm
<i>Op.</i>	<i>Fizik Terra Ridon X1</i>
Lagerung	Accessories Containers
<i>Op.</i>	<i>OC Multitool (Hex 2, 3, 4 & 5)</i>

OCCAM OMR LT


Größe	S - High	S - Low	M - High	M - Low	L - High	L - Low	XL - High	XL - Low
1 - Sitzrohrlänge (C-T)	405	405	415	415	430	430	460	460
2 - Steuerrohr	571	572	597	598	624	625	651	653
3 - Steuerrohrlänge	95	95	100	100	110	110	120	120
4 - Kettenlänger	440	440	440	440	440	440	440	440
5 - Höhe Tretlager	350	342	350	342	350	342	350	342
6 - Höhenunterschied zur Pedalachse	28	36	28	36	28	36	28	36
7 - Achsabstand	1199	1200	1226	1227	1255	1257	1285	1286
8 - Lenkwinkel	64,5	64	64,5	64	64,5	64	64,5	64
9 - Sitzwinkel	77,5	77	77,5	77	77,5	77	77,5	77
10 - Überstandshöhe	-	-	-	-	-	-	-	-
11 - Rahmenlänge	435	430	460	455	485	480	510	505
12 - Rahmenhöhe	616	621	621	625	630	635	639	644
13 - Gabellänge	575	575	575	575	575	575	575	575
14 - Rake	44	44	44	44	44	44	44	44

Höhe (cm)	Höhe (in)	Größe
150-170	59.1"-66.9"	S
160-180	63.0"-70.9"	M
170-190	66.9"-74.8"	L
180-200	70.9"-78.7"	XL


 SpaceShip Green - Corn
Yellow (Matt)
P4


 Cosmic Carbon View - Meta-
llic Olive Green (Gloss)
P5


 MyO
CM



OCCAM LT M-TEAM

Ref. R267

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	363/125
M	170	40	800	418/150
L	170	40	800	418/150
XL	170	50	800	475/175

PRICES

€	\$	£
7.999 €	\$8,599	£ 8,599

Rahmen	Orbea Occam OMR. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels
Dämpfer	Fox DHX Factory 2-Position Adjust custom tune 210x55mm
<i>Op.</i>	<i>Fox Float X Factory 2-Pos Evol LV Kashima cm tune 210x55mm</i>
Gabel	Fox 36 Float Factory 160 Grip2 QR15x110 Kashima
Kurbel	SRAM X0 Eagle Dub Black 32t
Steuersatz	Alloy 1-1/2", Black Oxidated Bearing
Lenker	OC Mountain Control MC10 Carbon, Rise 20, Width 800
<i>Op.</i>	<i>OC Mountain Control MC10 Carbon, Rise 35, Width 800</i>
Griffe	Ergon GE10
Vorbau	OC Mountain Control MC10 Alu SL, 0°
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Schalthebel	SRAM AXS Pod
Bremsen	SRAM Code Silver Hydraulic Disc
<i>Op.</i>	<i>Shimano XTR M9120 Hydraulic Disc</i>
Schaltwerk	SRAM X0 Eagle AXS
Kette	SRAM GX Eagle 12-Speed



Laufbandsatz	Oquo Mountain Control MC32TEAM, alloy hookless rim, DT350 6IS hub, 30mm internal width, Sapim D-Sprint / Race spokes, 29"
<i>Op.</i>	<i>OQUO Mountain Control MC32 LTD Carbon</i>
Kassette	SRAM GX-1275 Eagle 10-52t 12-Speed
Reifen	Maxxis Minion DHF 2.50" FB 60 TPI 3C Maxx Terra Exo TR
<i>Op.</i>	<i>Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)</i>
Sattelstütze	Fox Transfer Factory Kashima Dropper 31.6

<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm</i>
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm</i>
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm</i>
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm</i>
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm</i>
<i>Op.</i>	<i>Fox Transfer Factory Kashima Dropper 31.6x363/125mm</i>
<i>Op.</i>	<i>Fox Transfer Factory Kashima Dropper 31.6x418/150mm</i>
<i>Op.</i>	<i>Fox Transfer Factory Kashima Dropper 31.6x475/175mm</i>
<i>Op.</i>	<i>Fox Transfer Factory Kashima Dropper 31.6x530/200mm</i>
Sattel	ERGON SM Enduro Comp Men S/M
<i>Op.</i>	<i>Fizik Terra Ridon X5</i>
<i>Op.</i>	<i>Fizik Terra Ridon X1</i>
Sattelstütze Remote	FOX Transfer 1X
Akku	SRAM Powerpack
Lagerung	Accessories Containers
Werkzeuge	OC FLP Multitool MT-20, Hex 2, 3, 4, 5

OCCAM LT M10

Ref. R266

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
5.999 €	\$6,499	£ 6,499

Rahmen	Orbea Occam OMR. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels
Dämpfer	Fox FLOAT X Factory 2-Position Adjust Evol LV Kashima custom tune 210x55mm
<i>Op.</i>	Fox Float X Factory 2-Pos Evol LV Kashima cm tune 210x55mm Fox DHX Factory 2-Position custom tune 210x55mm 400 lbs Fox DHX Factory 2-Position custom tune 210x55mm 450 lbs Fox DHX Factory 2-Position custom tune 210x55mm 500 lbs Fox DHX Factory 2-Position custom tune 210x55mm 550 lbs
Gabel	Fox 36 Float Factory 160 Grip2 QR15x110 Kashima
<i>Op.</i>	Fox 36 Float Factory 160 Grip2 QR15x110 Kashima
Kurbel	Race Face Turbine 32t
Steuersatz	Alloy 1-1/2", Black Oxidated Bearing
Lenker	OC Mountain Control MC10 Carbon, Rise 20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Griffe	Ergon GE10



Vorbau	OC Mountain Control MC10 Alu SL, 0°
Computer Mount	OC Computer Mount CM-05, Garmin/Sigma
Schalthebel	Shimano XT M8100 I-Spec EV
Bremsen	Shimano XT M8120 Hydraulic Disc
<i>Op.</i>	Shimano XTR M9120 Hydraulic Disc
Schaltwerk	Shimano XT M8100 SGS Shadow Plus
Kette	Shimano M6100
Laufradsatz	Oquo Mountain Control MC32TEAM, alloy hookless rim, DT350 61S hub, 30mm internal width, Sapim D-Sprint / Race spokes, 29"
<i>Op.</i>	OQUO Mountain Control MC32 LTD Carbon
Kassette	Shimano CS-M7100 10-51t 12-Speed
Reifen	Maxxis Minion DHF 2.50" FB 60 TPI 3C Maxx Terra Exo TR
<i>Op.</i>	Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper

<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x363/125mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x418/150mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x475/175mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x530/200mm
Sattel	ERGON SM Enduro
<i>Op.</i>	Fizik Terra Ridon X5
<i>Op.</i>	Fizik Terra Ridon X1
Sattelstütze Remote	Shimano SL-MT500 I-Spec EV
Lagerung	Accessories Containers
Werkzeuge	OC FLP Multitool MT-20, Hex 2, 3, 4, 5
<i>Op.</i>	BIELETA OCCAM
<i>Op.</i>	LOCKR OCCAM

OCCAM LT M30

Ref. R263

	Kur- bellänge	Vor- baulänge	Lenker- breite	Länge Vari- ostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
4.699 €	\$4,999	£ 4,999



Rahmen	Orbea Occam OMR. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels
Dämpfer	Fox FLOAT X Performance 2-Position Evol LV custom tune 210x55mm <i>Op.</i> Fox Float X Factory 2-Pos Evol LV Kashima cm tune 210x55mm Fox DHX Factory 2-Position custom tune 210x55mm 400 lbs Fox DHX Factory 2-Position custom tune 210x55mm 450 lbs Fox DHX Factory 2-Position custom tune 210x55mm 500 lbs Fox DHX Factory 2-Position custom tune 210x55mm 550 lbs
Gabel	Fox 36 Float Performance 160 Grip 3-Position QR15x110 <i>Op.</i> Fox 36 Float Factory 160 Grip2 QR15x110 Kashima
Kurbel	Race Face Aeffect 32t
Steuersatz	Alloy 1-1/2", Black Oxidated Bearing
Lenker	OC Mountain Control MC30, Rise20, Width 800


<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 35, Width 800
Griffe	OC Lock On
<i>Op.</i>	Ergon GE10
Vorbau	OC Mountain Control MC20, 0°
<i>Op.</i>	OC Mountain Control MC10 Alu SL, 0°
Computer Mount	OC Computer Mount CM-05, Garmin/ Sigma
Schalthebel	Shimano SLX M7100 I-Spec EV
Bremsen	Shimano M6120 Hydraulic Disc
<i>Op.</i>	Shimano XT M8120 Hydraulic Disc
Schaltwerk	Shimano XT M8100 SGS Shadow Plus
Kette	Shimano M6100
Laufbandsatz	Race Face AR 30c Tubeless Ready
<i>Op.</i>	OQUO Mountain Control MC32TEAM
Kassette	Shimano CS-M7100 10-51t 12-Speed
Reifen	Maxxis Minion DHF 2.50" FB 60 TPI 3C Maxx Terra Exo TR
<i>Op.</i>	Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper


<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x363/125mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x418/150mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x475/175mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x530/200mm
Sattel	ERGON SM Enduro
<i>Op.</i>	Fizik Terra Ridon X5
<i>Op.</i>	Fizik Terra Ridon X1
Sattelstütze Remote	Shimano SL-MT500 I-Spec EV
Lagerung	Accessories Containers
<i>Op.</i>	OC Multitool (Hex 2, 3, 4 & 5)


OCCAM HYDRO SL


Größe	S	M	L	XL
1 - Sitzrohrlänge (C-T)	405	415	430	460
2 - Steuerrohr	570	596	622	649
3 - Steuerrohrlänge	95	100	110	120
4 - Kettenlänger	440	440	440	440
5 - Höhe Tretlager	341	341	341	341
6 - Höhenunterschied zur Pedalachse	37	37	37	37
7 - Achsabstand	1191	1218	1245	1276
8 - Lenkwinkel	65.5	65.5	65.5	65.5
9 - Sitzwinkel	78	78	78	78
10 - Überstandshöhe	-	-	-	-
11 - Rahmenlänge	440	465	490	515
12 - Rahmenhöhe	611	615	624	633
13 - Gabellänge	554	554	554	554
14 - Rake	44	44	44	44

Höhe (cm)	Höhe (in)	Größe
150-170	59.1"-66.9"	S
160-180	63.0"-70.9"	M
170-190	66.9"-74.8"	L
180-200	70.9"-78.7"	XL


 Metallic Olive Green-Titanium Black (Gloss)
P1


 Slate Blue-Orange Cloud (Matt)
P3


 Spicy Lime-Corn Yellow (Gloss)
P2



OCCAM SL H10

Ref. R258

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
3.799 €	\$4,399	£ 4,299

Rahmen	Orbea Occam Hydro. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels. Linkage compatible with OC multitool
Dämpfer	Fox Float Performance Remote Push-lock Evol custom tune 210x50mm <i>Op.</i> Fox Float Factory Remote PTL Evol Kashima cm tune 210x50mm
Gabel	Fox 34 Float Performance 140 Remote Push-lock QR15x110 <i>Op.</i> Fox 34 Float Factory 140 FIT4 Remote PTU QR15x110 Kashima
Remote Lockout	OC Squidlock MC20 Remote, Dropper, Suspension 2 Pos
Kurbel	Shimano XT M8120 32t
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup
Lenker	OC Mountain Control MC30, Rise20, Width 800 <i>Op.</i> OC Mountain Control MC10 Carbon, Rise 20, Width 800 OC Mountain Control MC10 Carbon, Rise 35, Width 800



Griffe	OC Lock On
Vorbau	OC Mountain Control MC20, 0° <i>Op.</i> OC Mountain Control MC10 Alu SL, 0°
Computer Mount	N/A <i>Op.</i> OC Computer Mount CM-05, Garmin/Sigma
Schalthebel	Shimano XT M8100 I-Spec EV
Bremsen	Shimano XT M8100 Hydraulic Disc <i>Op.</i> Shimano XT M8120 Hydraulic Disc
Schaltwerk	Shimano XT M8100 SGS Shadow Plus
Kette	Shimano M6100
Laufnradatz	Race Face AR 30c Tubeless Ready OQUO Mountain Control MC32TEAM OQUO Mountain Performance MP28 PRO <i>Op.</i> OQUO Mountain Performance MP-30TEAM
Kassette	Shimano CS-M7100 10-51t 12-Speed

Reifen	Maxxis Dissector 2.40" 60 TPI 3CMaxx-Terra Exo TLR <i>Op.</i> Maxxis Minion DHF 2.5" (F) / Maxxis Dissector 2.40" (R) TLR
Reifen	Maxxis Rekon 2.40" FB 60 TPI Dual Exo TR
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper <i>Op.</i> OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
Sattel	Fizik Terra Ridon X5 145mm
Lagerung	Accessories Containers <i>Op.</i> OC Multitool (Hex 2, 3, 4 & 5)

OCCAM SL H20

Ref. R256

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
3.599 €	\$3,999	£ 3,899

Rahmen	Orbea Occam Hydro. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels. Linkage compatible with OC multitool
Dämpfer	Fox Float Performance Remote Push-lock Evol custom tune 210x50mm <i>Op.</i> Fox Float Factory Remote PTL Evol Kashima cm tune 210x50mm
Gabel	Fox 34 Float Performance 140 Remote Push-lock QR15x110 <i>Op.</i> Fox 34 Float Factory 140 FIT4 Remote PTU QR15x110 Kashima
Remote Lockout	OC Squidlock MC20 Remote, Dropper, Suspension 2 Pos
Kurbel	SRAM Descendant 6K Eagle Dub 32t
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup
Lenker	OC Mountain Control MC30, Rise20, Width 800



<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 20, Width 800 OC Mountain Control MC10 Carbon, Rise 35, Width 800
Griffe	OC Lock On
Vorbau	OC Mountain Control MC20, 0° <i>Op.</i> OC Mountain Control MC10 Alu SL, 0°
Computer Mount	N/A <i>Op.</i> OC Computer Mount CM-05, Garmin/Sigma
Schalthebel	SRAM NX Eagle
Bremsen	Shimano M6100 Hydraulic Disc <i>Op.</i> Shimano M6120 Hydraulic Disc Shimano XT M8100 Hydraulic Disc
Schaltwerk	SRAM GX Eagle Lunar
Kette	SRAM NX Eagle 12-Speed
Laufnradatz	Race Face AR 30c Tubeless Ready
Kassette	SRAM PG-1230 Eagle 11-50t 12-Speed

Reifen	Maxxis Dissector 2.40" 60 TPI 3CMaxx-Terra Exo TLR <i>Op.</i> Maxxis Minion DHF 2.5" (F) / Maxxis Dissector 2.40" (R) TLR
Reifen	Maxxis Rekon 2.40" FB 60 TPI Dual Exo TR
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper <i>Op.</i> OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
Sattel	Fizik Terra Ridon X5 145mm
Lagerung	Accessories Containers <i>Op.</i> OC Multitool (Hex 2, 3, 4 & 5)

OCCAM SL H30

Ref. R254

	Kur- bellänge	Vor- baulänge	Lenker- breite	Länge Vari- ostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
2.799 €	\$3,199	£ 2,999



Rahmen	Orbea Occam Hydro. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels. Linkage compatible with OC multitool
Dämpfer	Fox Float Performance Remote Push-lock Evol custom tune 210x50mm
Gabel	Marzocchi Bomber Z2 140 Remote Push-Lock QR15x110
<i>Op.</i>	<i>Fox 34 Float Performance 140 Remote PTU QR15x110</i>
Remote Lockout	OC Squidlock MC20 Remote, Dropper, Suspension 2 Pos
Kurbel	Forged alloy, 32t
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup
Lenker	OC Mountain Control MC30, Rise20, Width 800
Griffe	OC Lock On


Vorbau	OC Mountain Control MC20, 0°
Computer Mount	N/A
<i>Op.</i>	<i>OC Computer Mount CM-05, Garmin/Sigma</i>
Schalthebel	Shimano Deore M6100
Bremsen	Shimano MT201 Hydraulic Disc
<i>Op.</i>	<i>Shimano M6100 Hydraulic Disc Shimano M6120 Hydraulic Disc</i>
Schaltwerk	Shimano Deore M6100 SGS Shadow Plus
Kette	Shimano M6100
Kassette	Shimano CS-M6100 10-51t 12-Speed
Reifen	Maxxis Dissector 2.40" 60 TPI 3CMaxx-Terra Exo TLR
<i>Op.</i>	<i>Maxxis Minion DHF 2.5" (F) / Maxxis Dissector 2.40" (R) TLR</i>

Reifen	Maxxis Rekon 2.40" FB 60 TPI Dual Exo TR
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm</i>
Sattel	Selle Royal 2058 DRN
<i>Op.</i>	<i>Fizik Terra Ridon X5</i>
Lagerung	Accessories Containers
<i>Op.</i>	<i>OC Multitool (Hex 2, 3, 4 & 5)</i>


OCCAM HYDRO LT


Größe	S - High	S - Low	M - High	M - Low	L - High	L - Low	XL - High	XL - Low
1 - Sitzrohrlänge (C-T)	405	405	415	415	430	430	460	460
2 - Steuerrohr	571	572	597	598	624	625	651	653
3 - Steuerrohrlänge	95	95	100	100	110	110	120	120
4 - Kettenlänger	440	440	440	440	440	440	440	440
5 - Höhe Tretlager	350	342	350	342	350	342	350	342
6 - Höhenunterschied zur Pedalachse	28	36	28	36	28	36	28	36
7 - Achsabstand	1199	1200	1226	1227	1255	1257	1285	1286
8 - Lenkwinkel	64,5	64	64,5	64	64,5	64	64,5	64
9 - Sitzwinkel	77,5	77	77,5	77	77,5	77	77,5	77
10 - Überstandshöhe	-	-	-	-	-	-	-	-
11 - Rahmenlänge	435	430	460	455	485	480	510	505
12 - Rahmenhöhe	616	621	621	625	630	635	639	644
13 - Gabellänge	575	575	575	575	575	575	575	575
14 - Rake	44	44	44	44	44	44	44	44

Höhe (cm)	Höhe (in)	Größe
150-170	59.1"-66.9"	S
160-180	63.0"-70.9"	M
170-190	66.9"-74.8"	L
180-200	70.9"-78.7"	XL


 Metallic Olive Green-Titanium Black (Gloss)
P1


 Slate Blue-Orange Cloud (Matt)
P3


 Spicy Lime-Corn Yellow (Gloss)
P2



OCCAM LT H20

Ref. R257

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
3.799 €	\$4,399	£ 4,299

Rahmen	Orbea Occam Hydro. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels. Linkage compatible with OC multitool
Dämpfer	Fox FLOAT X Performance 2-Position Evol LV custom tune 210x55mm <i>Fox Float X Factory 2-Pos Evol LV Kashima cm tune 210x55mm</i> <i>Fox DHX Factory 2-Position custom tune 210x55mm 400 lbs</i>
<i>Op.</i>	<i>Fox DHX Factory 2-Position custom tune 210x55mm 450 lbs</i> <i>Fox DHX Factory 2-Position custom tune 210x55mm 500 lbs</i> <i>Fox DHX Factory 2-Position custom tune 210x55mm 550 lbs</i>
Gabel	Fox 36 Float Performance 160 Grip 3-Position QR15x110
<i>Op.</i>	<i>Fox 36 Float Factory 160 Grip2 QR15x110 Kashima</i>
Kurbel	Race Face Aeffect 32t
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup



Lenker	OC Mountain Control MC30, Rise20, Width 800
<i>Op.</i>	<i>OC Mountain Control MC10 Carbon, Rise 20, Width 800</i> <i>OC Mountain Control MC10 Carbon, Rise 35, Width 800</i>
Griffe	OC Lock On
Vorbau	OC Mountain Control MC20, 0°
<i>Op.</i>	<i>OC Mountain Control MC10 Alu SL, 0°</i>
Computer Mount	N/A
<i>Op.</i>	<i>OC Computer Mount CM-05, Garmin/Sigma</i>
Schalthebel	Shimano SLX M7100 I-Spec EV
Bremsen	Shimano M6120 Hydraulic Disc
<i>Op.</i>	<i>Shimano XT M8120 Hydraulic Disc</i>
Schaltwerk	Shimano XT M8100 SGS Shadow Plus
Kette	Shimano M6100
Laufnradatz	Race Face AR 30c Tubeless Ready
<i>Op.</i>	<i>OQUO Mountain Control MC32TEAM</i>

Kassette	Shimano CS-M7100 10-51t 12-Speed
Reifen	Maxxis Minion DHF 2.50" FB 60 TPI 3C Maxx Terra Exo TR
<i>Op.</i>	<i>Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)</i>
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm</i>
Sattel	ERGON SM Enduro
Sattelstütze Remote	Shimano SL-MT500 I-Spec EV
Lagerung	Accessories Containers
<i>Op.</i>	<i>OC Multitool (Hex 2, 3, 4 & 5)</i>

OCCAM LT H30

Ref. R255

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	440/150
M	170	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

PRICES

€	\$	£
3.299 €	\$3,599	£ 3,499

Rahmen	Orbea Occam Hydro. Concentric Boost 12x148 rear axle. Pure Trail geometry. Internal cable routing. Asymmetric design. 29" wheels. Linkage compatible with OC multitool
Dämpfer	Fox FLOAT Performance 2-Position Evol custom tune 210x55mm <i>Fox Float X Performance 2-Pos Evol LV custom tune 210x55mm</i> <i>Fox Float X Factory 2-Pos Evol LV Kashima cm tune 210x55mm</i> <i>Fox DHX Factory 2-Position custom tune 210x55mm 400 lbs</i>
<i>Op.</i>	<i>Fox DHX Factory 2-Position custom tune 210x55mm 450 lbs</i> <i>Fox DHX Factory 2-Position custom tune 210x55mm 500 lbs</i> <i>Fox DHX Factory 2-Position custom tune 210x55mm 550 lbs</i>
Gabel	Fox 36 Float Performance 160 Grip 3-Position QR15x110
<i>Op.</i>	<i>Fox 36 Float Factory 160 Grip2 QR15x110 Kashima</i>



Kurbel	Forged alloy, 32t
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup
Lenker	OC Mountain Control MC30, Rise20, Width 800
Griffe	OC Lock On
Vorbau	OC Mountain Control MC20, 0°
Computer Mount	N/A
<i>Op.</i>	<i>OC Computer Mount CM-05, Garmin/Sigma</i>
Schalthebel	Shimano Deore M6100 I-Spec EV
Bremsen	Shimano MT420 Hydraulic Disc
<i>Op.</i>	<i>Shimano M6120 Hydraulic Disc</i> <i>Shimano XT M8120 Hydraulic Disc</i>
Schaltwerk	Shimano Deore M6100 SGS Shadow Plus
Kette	Shimano M6100
Kassette	Shimano CS-M6100 10-51t 12-Speed
Reifen	Maxxis Minion DHF 2.50" FB 60 TPI 3C Maxx Terra Exo TR

<i>Op.</i>	<i>Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)</i>
Sattelstütze	OC Mountain Control MC21, 31.6mm, Dropper
<i>Op.</i>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm</i>
Sattel	Selle Royal 2058 DRN
<i>Op.</i>	<i>Fizik Terra Ridon X5</i>
Sattelstütze Remote	Shimano SL-MT500 I-Spec EV
Lagerung	Accessories Containers
<i>Op.</i>	<i>OC Multitool (Hex 2, 3, 4 & 5)</i>



ORBEA