

2024



# RALLON

**ORBEA**



# RALLON

Größe	S	M	L	XL	S-MULLET	M-MULLET	L-MULLET	XL-MULLET
1 - Sitzrohrlänge (C-T)	415	415	435	460	415	415	435	460
2 - Steuerrohr	572	599	626	653	573	600	627	655
3 - Steuerrohrlänge	90	100	110	120	90	100	110	120
4 - Kettenlänger	440	440	440	440	438	438	438	438
5 - Höhe Tretlager	350/343	350/343	350/343	350/343	343	343	343	343
6 - Höhenunterschied zur Pedalachse	28/35	28/35	28/35	28/35	35	35	35	35
7 - Achsabstand	1202	1231	1260	1290	1201	1230	1260	1289
8 - Lenkwinkel	64° / 63,5°	64° / 63,5°	64° / 63,5°	64° / 63,5°	64° / 63,5°	64° / 63,5°	64° / 63,5°	64° / 63,5°
9 - Sitzwinkel	77.5°/77	77.5°/77	77.5°/77	77.5°/77	77°	77°	77°	77°
10 - Überstandshöhe	737	737	754	774	744	744	761	781
11 - Rahmenlänge	435	460	485	510	430	455	480	505
12 - Rahmenhöhe	619	628	637	646	623	632	641	650
13 - Gabellänge	587.7	587.7	587.7	587.7	587.7	587.7	587.7	587.7
14 - Rake	44	44	44	44	44	44	44	44

Höhe (cm)	Höhe (in)	Größe
150-170	59.1"-66.9"	S
160-180	63.0"-70.9"	M
170-190	66.9"-74.8"	L
180-200	70.9"-78.7"	XL




MyO  
CM



Mars Red (Gloss) - Black  
(Matt)  
PA



Forest Green Carbon View  
(Matt-Gloss) - Blue Stone  
(Gloss)  
PB



# RALLON M-LTD

Ref.	R275			
	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	418/150
M	165	40	800	475/175
L	170	40	800	475/175
XL	170	50	800	530,7/200

## PRICES

€	\$	£
10.499€	\$10,999	£11,399



<b>Rahmen</b>	Orbea Monocoque Race Carbon. Advanced Dynamics 167mm suspension technology. 29" wheels. Concentric Boost 12x148 rear axle. Pure Enduro geometry. Internal cable routing. ISCG05
<b>Dämpfer</b>	Fox DHX2 Factory 2-Position Adjust SLS Spring Cr 230x62.5mm
<i>Op.</i>	Fox Float X2 Factory 2-Pos Adjust Kashima cm tune 230x62mm
<b>Gabel</b>	Fox 38 Float Factory 170 Grip2 QR15x110 Kashima
<b>Kurbel</b>	SRAM XX Eagle Dub Black 32t w/guard
<b>Steuersatz</b>	Acros Alloy 1-1/8 - 1-1/2" Integrated
<b>Lenker</b>	OC Mountain Control MC10 Carbon, Rise 20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 35, Width 800
<b>Griffe</b>	Ergon GE10
<b>Vorbau</b>	OC Mountain Control MC10 Alu SL, 0°
<b>Computer Mount</b>	OC Computer Mount CM-05, Garmin/Sigma
<b>Schalthebel</b>	SRAM AXS Pod Ultimate
<b>Bremsen</b>	SRAM Code Ultimate Hydraulic Disc
<i>Op.</i>	Shimano XTR M9120 Hydraulic Disc
<b>Schaltwerk</b>	SRAM XX Eagle AXS
<b>Kette</b>	SRAM XX Eagle 12-Speed

<b>Laufradausatz</b>	OQUO Mountain Control MC32LTD, carbon hookless rim, DT350 61S hub, 30mm internal width, Sapim D-Sprint / Race spokes, 29"
<i>Op.</i>	OQUO Mountain Control MC32TEAM (29" Front / 27,5" Rear)
<i>Op.</i>	OQUO Mountain Control MC32TEAM (29er F/R)
<b>Kassette</b>	SRAM XX-1297 Eagle 10-52t 12-Speed
<b>Vorderradachse</b>	N/A
<i>Op.</i>	Fox Kabolt Boost
<b>Reifen</b>	Maxxis Assegai 2.50" WT FB 120 TPI 3C Maxx Terra EXO+ TR
<i>Op.</i>	Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)
<b>Reifen</b>	Maxxis Minion DHR II 2.40" WT FB 120 TPI 3C Maxx Terra EXO+ TR
<b>Sattelstütze</b>	Fox Transfer Factory Kashima Dropper 31.6

<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x363/125mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x418/150mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x475/175mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x530/200mm
<b>Sattel</b>	ERGON SM Enduro Comp Men S/M
<b>Sattelstütze Remote</b>	FOX Transfer 1X
<b>Akku</b>	SRAM Powerpack
<b>Lagerung</b>	Accessories Containers
<b>Werkzeuge</b>	OC Rear lever (Hex 6 & valve core removal)
<i>Op.</i>	BIELETA RALLON
<i>Op.</i>	TOOLBOX COVER RALLON

# RALLON M-TEAM

Ref.	R274			
	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	418/150
M	165	40	800	475/175
L	170	40	800	475/175
XL	170	50	800	530,7/200

## PRICES

€	\$	£
7.499€	\$7,999	£7,999



<b>Rahmen</b>	Orbea Monocoque Race Carbon. Advanced Dynamics 167mm suspension technology. 29" wheels. Concentric Boost 12x148 rear axle. Pure Enduro geometry. Internal cable routing. ISCG05
<b>Dämpfer</b>	Fox Float X2 Factory 2-Position Adjust Kashima custom tune 230x62.5mm
<i>Op.</i>	<p>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 400lbs</p> <p>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 450lbs</p> <p>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 500lbs</p> <p>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 550lbs</p>
<b>Gabel</b>	Fox 38 Float Factory 170 Grip2 QR15x110 Kashima
<b>Kurbel</b>	Race Face Era 32t
<b>Steuersatz</b>	Acros Alloy 1-1/8 - 1-1/2" Integrated
<b>Lenker</b>	OC Mountain Control MC10 Carbon, Rise 20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 35, Width 800
<b>Griffe</b>	Ergon GE10
<b>Vorbau</b>	OC Mountain Control MC10 Alu SL, 0°

<b>Computer Mount</b>	OC Computer Mount CM-05, Garmin/ Sigma
<b>Schalthebel</b>	Shimano XT M8100 I-Spec EV
<b>Bremsen</b>	Shimano XT M8120 Hydraulic Disc
<i>Op.</i>	Shimano XTR M9120 Hydraulic Disc
<b>Schaltwerk</b>	Shimano XT M8100 SGS Shadow Plus
<b>Kette</b>	Shimano M7100
<b>Laufbandsatz</b>	Oquo Mountain Control MC32TEAM, alloy hookless rim, DT350 61S hub, 30mm internal width, Sapim D-Sprint / Race spokes. (29" Front / 27,5" Rear)
<i>Op.</i>	<p>OQUO Mountain Control MC32 LTD Carbon (29er F/R)</p> <p>OQUO Mountain Control MC32TEAM (29er F/R)</p>
<b>Kassette</b>	Shimano CS-M8100 10-51t 12-Speed
<b>Vorderradachse</b>	N/A
<i>Op.</i>	Fox Kabolt Boost
<b>Reifen</b>	Maxxis Assegai 2.50" WT FB 120 TPI 3C Maxx Terra EXO+ TR
<i>Op.</i>	Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)
<b>Reifen</b>	Maxxis Minion DHR II 2.40" WT FB 120 TPI 3C Maxx Terra EXO+ TR

<b>Sattelstütze</b>	Fox Transfer Factory Kashima Dropper 31.6
<i>Op.</i>	<p>OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm</p> <p>OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm</p> <p>OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm</p> <p>OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm</p> <p>OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm</p> <p>Fox Transfer Factory Kashima Dropper 31.6x363/125mm</p> <p>Fox Transfer Factory Kashima Dropper 31.6x418/150mm</p> <p>Fox Transfer Factory Kashima Dropper 31.6x475/175mm</p> <p>Fox Transfer Factory Kashima Dropper 31.6x530/200mm</p>
<b>Sattel</b>	ERGON SM Enduro Comp Men S/M
<b>Sattelstütze Remote</b>	Shimano SL-MT500 I-Spec EV
<b>Kettenführung</b>	e*thirteen CL55 30-36t black
<b>Lagerung</b>	Accessories Containers
<b>Werkzeuge</b>	OC Rear lever (Hex 6 & valve core removal)

# RALLON M11 AXS

Ref. R273

	Kurbellänge	Vorbaulänge	Lenkerbreite	Länge Variostütze
S	165	35	800	440/150
M	165	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

## PRICES

€	\$	£
6.499€	\$6,999	£6,999



<b>Rahmen</b>	Orbea Monocoque Race Carbon. Advanced Dynamics 167mm suspension technology. 29" wheels. Concentric Boost 12x148 rear axle. Pure Enduro geometry. Internal cable routing. ISCG05
<b>Dämpfer</b>	Fox FLOAT X Performance 2-Position Evol LV custom tune 230x62.5mm
<i>Op.</i>	Fox Float X2 Factory 2-Pos Adjust Kashima cm tune 230x62mm Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 400lbs Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 450lbs Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 500lbs Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 550lbs
<b>Gabel</b>	Fox 38 Float Performance 170 Grip 3-Position QR15x110
<i>Op.</i>	Fox 38 Float Factory 170 Grip2 QR15x110 Kashima
<b>Kurbel</b>	SRAM GX Eagle Dub 32t w/guard
<b>Steuersatz</b>	Acros Alloy 1-1/8 - 1-1/2" Integrated
<b>Lenker</b>	OC Mountain Control MC20 Alu SL, Rise20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 20, Width 800 OC Mountain Control MC10 Carbon, Rise 35, Width 800

<b>Griffe</b>	OC Lock On
<b>Vorbau</b>	OC Mountain Control MC20, 0°
<i>Op.</i>	OC Mountain Control MC10 Alu SL, 0°
<b>Computer Mount</b>	N/A
<i>Op.</i>	OC Computer Mount CM-05, Garmin/Sigma
<b>Schalthebel</b>	SRAM AXS Pod
<b>Bremsen</b>	SRAM Code Bronze Hydraulic Disc
<i>Op.</i>	Shimano XT M8120 Hydraulic Disc
<b>Schaltwerk</b>	SRAM GX Eagle AXS
<b>Kette</b>	SRAM GX Eagle 12-Speed
<b>Laufradausatz</b>	Oquo Mountain Control MC32TEAM, alloy hookless rim, DT350 61S hub, 30mm internal width, Sapim D-Sprint / Race spokes, 29"
<i>Op.</i>	OQUO Mountain Control MC32TEAM (29" Front / 27,5" Rear)
<b>Kassette</b>	SRAM GX-1275 Eagle 10-52t 12-Speed
<b>Vorderradachse</b>	N/A
<i>Op.</i>	Fox Kabolt Boost
<b>Reifen</b>	Maxxis Assegai 2.50" WT FB 120 TPI 3C Maxx Terra EXO+ TR
<i>Op.</i>	Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)
<b>Reifen</b>	Maxxis Minion DHR II 2.40" WT FB 120 TPI 3C Maxx Terra Exo+ TR

<b>Sattelstütze</b>	OC Mountain Control MC21, 31.6mm, Dropper
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm Fox Transfer Factory Kashima Dropper 31.6x363/125mm Fox Transfer Factory Kashima Dropper 31.6x418/150mm Fox Transfer Factory Kashima Dropper 31.6x475/175mm Fox Transfer Factory Kashima Dropper 31.6x530/200mm
<b>Sattel</b>	ERGON SM Enduro
<i>Op.</i>	Fizik Terra Ridon X1
<b>Sattelstütze Remote</b>	OC Dropper Remote for Sram Matchmaker
<b>Akku</b>	SRAM Powerpack
<b>Lagerung</b>	Accessories Containers
<b>Werkzeuge</b>	OC Rear lever (Hex 6 & valve core removal)

# RALLON M10

Ref.	R272			
	<b>Kurbellänge</b>	<b>Vorbaulänge</b>	<b>Lenkerbreite</b>	<b>Länge Variostütze</b>
S	165	35	800	440/150
M	165	40	800	480/170
L	170	40	800	480/170
XL	170	50	800	550/200

**PRICES**

€	\$	£
5.999€	\$6,599	£6,499



<b>Rahmen</b>	Orbea Monocoque Race Carbon. Advanced Dynamics 167mm suspension technology. 29" wheels. Concentric Boost 12x148 rear axle. Pure Enduro geometry. Internal cable routing. ISCG05
<b>Dämpfer</b>	Fox FLOAT X Performance 2-Position Evol LV custom tune 230x62.5mm
<i>Op.</i>	Fox Float X2 Factory 2-Pos Adjust Kashima cm tune 230x62mm Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 400lbs Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 450lbs Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 500lbs Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 550lbs
<b>Gabel</b>	Fox 38 Float Performance 170 Grip 3-Position QR15x110
<i>Op.</i>	Fox 38 Float Factory 170 Grip2 QR15x110 Kashima
<b>Kurbel</b>	Race Face Turbine 32t
<b>Steuersatz</b>	Acros Alloy 1-1/8 - 1-1/2" Integrated
<b>Lenker</b>	OC Mountain Control MC20 Alu SL, Rise20, Width 800
<i>Op.</i>	OC Mountain Control MC10 Carbon, Rise 20, Width 800 OC Mountain Control MC10 Carbon, Rise 35, Width 800

<b>Griffe</b>	OC Lock On
<b>Vorbau</b>	OC Mountain Control MC20, 0°
<i>Op.</i>	OC Mountain Control MC10 Alu SL, 0°
<b>Computer Mount</b>	N/A
<i>Op.</i>	OC Computer Mount CM-05, Garmin/Sigma
<b>Schalthebel</b>	Shimano XT M8100 I-Spec EV
<b>Bremsen</b>	Shimano XT M8120 Hydraulic Disc
<b>Schaltwerk</b>	Shimano XT M8100 SGS Shadow Plus
<b>Kette</b>	Shimano M7100
<b>Laufrradsatz</b>	Oquo Mountain Control MC32TEAM, alloy hookless rim, DT350 61S hub, 30mm internal width, Sapim D-Sprint / Race spokes, 29"
<i>Op.</i>	OQUO Mountain Control MC32TEAM (29" Front / 27,5" Rear)
<b>Kassette</b>	Shimano CS-M7100 10-51t 12-Speed
<b>Vorderradachse</b>	N/A
<i>Op.</i>	Fox Kabolt Boost
<b>Reifen</b>	Maxxis Assegai 2.50" WT FB 120 TPI 3C Maxx Terra EXO+ TR
<i>Op.</i>	Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)
<b>Reifen</b>	Maxxis Minion DHR II 2.40" WT FB 120 TPI 3C Maxx Terra Exo+ TR

<b>Sattelstütze</b>	OC Mountain Control MC21, 31.6mm, Dropper
<i>Op.</i>	OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm
<i>Op.</i>	Fox Transfer Factory Kashima Dropper 31.6x363/125mm Fox Transfer Factory Kashima Dropper 31.6x418/150mm Fox Transfer Factory Kashima Dropper 31.6x475/175mm Fox Transfer Factory Kashima Dropper 31.6x530/200mm
<b>Sattel</b>	ERGON SM Enduro
<i>Op.</i>	Fizik Terra Ridon X1
<b>Sattelstütze Remote</b>	Shimano SL-MT500 I-Spec EV
<b>Kettenführung</b>	e*thirteen CL55 30-36t black
<b>Lagerung</b>	Accessories Containers
<b>Werkzeuge</b>	OC Rear lever (Hex 6 & valve core removal)

# RALLON M20

Ref.	R271			
	<b>Kurbellänge</b>	<b>Vorbaulänge</b>	<b>Lenkerbreite</b>	<b>Länge Variostütze</b>
S	165	45	800	440/150
M	165	45	800	480/170
L	170	45	800	480/170
XL	170	45	800	550/200
<b>PRICES</b>				
	€	\$	£	
	4.999€	\$5,299	£5,399	



<b>Rahmen</b>	Orbea Monocoque Race Carbon. Advanced Dynamics 167mm suspension technology. 29" wheels. Concentric Boost 12x148 rear axle. Pure Enduro geometry. Internal cable routing. ISCG05
<b>Dämpfer</b>	Fox FLOAT X Performance 2-Position Evol LV custom tune 230x62.5mm <i>Fox Float X2 Factory 2-Pos Adjust Kashima cm tune 230x62mm</i>
<b>Op.</b>	<i>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 400lbs</i> <i>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 450lbs</i> <i>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 500lbs</i> <i>Fox DHX2 Factory 2-Pos Adjust SLS Spring Cr 230x62mm 550lbs</i>
<b>Gabel</b>	Fox 38 Float Performance 170 Grip 3-Position QR15x110
<b>Op.</b>	<i>Fox 38 Float Factory 170 Grip2 QR15x110 Kashima</i>
<b>Kurbel</b>	Race Face Aeffect 32t
<b>Steuersatz</b>	Acros Alloy 1-1/8 - 1-1/2" Integrated
<b>Lenker</b>	OC Mountain Control MC30, Rise20, Width 800
<b>Op.</b>	<i>OC Mountain Control MC20 Alu SL, Rise 20, Widht 800</i>

<b>Griffe</b>	OC Lock On
<b>Vorbau</b>	Alloy 3D forged, 35mm interface, -7° <i>OC Mountain Control MC20, 0° 35mm</i> <i>OC Mountain Control MC20, 0° 40mm</i> <i>OC Mountain Control MC20, 0° 50mm</i>
<b>Op.</b>	
<b>Schalthebel</b>	Shimano SLX M7100 I-Spec EV
<b>Bremsen</b>	Shimano M6120 Hydraulic Disc
<b>Op.</b>	<i>Shimano XT M8120 Hydraulic Disc</i>
<b>Schaltwerk</b>	Shimano SLX M7100 SGS Shadow Plus
<b>Kette</b>	Shimano M6100
<b>Laufnradatz</b>	Race Face AR 30c Tubeless Ready <i>OQUO Mountain Control MC32TEAM (29" Front / 27,5" Rear)</i> <i>OQUO Mountain Control MC32TEAM (29er F/R)</i>
<b>Op.</b>	
<b>Kassette</b>	Shimano CS-M7100 10-51t 12-Speed
<b>Vorderradachse</b>	N/A
<b>Op.</b>	<i>Fox Kabolt Boost</i>
<b>Reifen</b>	Maxxis Assegai 2.50" WT FB 120 TPI 3C Maxx Terra EXO+ TR
<b>Op.</b>	<i>Maxxis Assegai 2.50" DH TR(F) / Minion DHR II 2.40" DH TR(R)</i>
<b>Reifen</b>	Maxxis Minion DHR II 2.40" WT FB 120 TPI 3C Maxx Terra Exo+ TR

<b>Sattelstütze</b>	OC Mountain Control MC21, 31.6mm, Dropper <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 125mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 150mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 170mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 200mm</i> <i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 230mm</i>
<b>Op.</b>	<i>OC Mountain Control MC21, 31.6mm, Dropper, Travel 300mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x363/125mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x418/150mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x475/175mm</i> <i>Fox Transfer Factory Kashima Dropper 31.6x530/200mm</i>
<b>Sattel</b>	ERGON SM Enduro
<b>Op.</b>	<i>Fizik Terra Ridon X1</i>
<b>Sattelstütze Remote</b>	Shimano SL-MT500 I-Spec EV
<b>Kettenführung</b>	e*thirteen CL55 30-36t black
<b>Lagerung</b>	Accessories Containers
<b>Werkzeuge</b>	OC Rear lever (Hex 6 & valve core removal)





**ORBEA**