

B0318

Instinct Carbon 90 SHIMANO

LAUFRADGRÖßE

XS - SM
27,5"

SM - XL
29"

FARBE 2



BAD TO THE BONE
MATT

SMOKIN' IN THE BOYS ROOM
MATT

Frame	SMOOTHWALL™ Carbon Full Sealed Cartridge Bearings Press Fit BB Internal Cable Routing and Storage Compartment 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 2 Position Axle 140mm Travel SMOOTHWALL™ Carbon Rear Triangle	Bottom Bracket	Race Face BB92 30mm
Fork	Fox 36 Float EVOL GRIP2 Factory Series 150mm 27.5 = 37mm Offset 29 = 44mm Offset	Cassette	Shimano XTR 12s 10-51T
R / Shock	Fox Float X Factory Sealed Bearing Eyelet 20x8mm F Hardware XS - SM = 190x45mm MD - LG - XL = 210x52.5mm Size-Specific tune in FAQ	Chain	Shimano XTR 12s
Headset	FSA Orbit NO.85 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	F / Hub	DT Swiss 350 Boost 15mm
Stem	Rocky Mountain 35 CNC 0° Rise All Sizes = 50mm	R / Hub	DT Swiss 350 Boost 148mm 36T Star-Ratchet
Handlebar	Race Face Next R 780mm Width 20mm Rise 8° Backsweep 4° Upsweep 35mm Clamp	Spokes	DT Swiss Competition 2.0/1.8/2.0
Grips	ODI Elite Pro Lock On	Rims	Race Face ARC Carbon 31 28H
Brakes	Shimano XTR Trail 4 Piston IceTec Metal Pads	Rim Tape	Tubeless Ready - Tape / Valves Incl
F / Rotor	Shimano RT86 203mm	Tires	Maxxis Dissector 2.4 WT 3C MaxxTerra EXO Tubeless Ready
R / Rotor	Shimano RT86 180mm	Seatpost	Fox Transfer Factory Series 30.9mm XS = 125mm SM = 150mm MD = 175mm LG - XL = 200mm
Shifters	Shimano XTR	Saddle	WTB Volt Race 142
R / Derailleur	Shimano XTR		
Crankset	Race Face Next SL G5 Cinch 32T 30mm Spindle Crankarm Length: All Sizes = 170mm		

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

B0319

Instinct Carbon 70 SHIMANO

LAUFRADGRÖßE

XS - SM
27,5"

SM - XL
29"

FARBE 1



WE ARE THE CHAMPIONS
GLÄNZEND

PLATINUM BLONDE
GLÄNZEND

BLACK DOG
GLÄNZEND

Frame	SMOOTHWALL™ Carbon Full Sealed Cartridge Bearings Press Fit BB Internal Cable Routing and Storage Compartment 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 2 Position Axle 140mm Travel SMOOTHWALL™ Carbon Rear Triangle	Bottom Bracket	Race Face BB92 30mm
Fork	Fox 36 Float EVOL GRIP2 Performance Elite Series 150mm 27.5 = 37mm Offset 29 = 44mm Offset	Cassette	Shimano XT 10-51T
R / Shock	Fox Float X Performance Elite Sealed Bearing Eyelet 20x8mm F Hardware XS - SM = 190x45mm MD - LG - XL = 210x52.5mm Size-Specific tune in FAQ	Chain	Shimano M8100
Headset	FSA Orbit NO.85 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	F / Hub	Rocky Mountain SL Sealed Boost 15mm
Stem	Rocky Mountain 35 AM 5° Rise All Sizes = 40mm	R / Hub	DT Swiss 370 Boost 148mm 18T Star-Ratchet
Handlebar	Rocky Mountain AM Carbon 780mm	Spokes	DT Swiss Competition 2.0/1.8/2.0
Grips	ODI Elite Pro Lock On	Rims	Race Face AR 30 28H
Brakes	Shimano XT Trail 4 Piston Metal Pads	Rim Tape	Tubeless Ready - Tape / Valves Incl
F / Rotor	Shimano RT86 203mm	Tires	Maxxis Dissector 2.4 WT 3C MaxxTerra EXO Tubeless Ready
R / Rotor	Shimano RT86 180mm	Seatpost	Race Face Turbine R (by Fox) Dropper 30.9mm XS = 125mm SM = 150mm MD = 175mm LG - XL = 200mm
Shifters	Shimano XT	Saddle	WTB Volt Race 142
R / Derailleur	Shimano XT		
Crankset	Race Face Turbine Cinch 32T 30mm Spindle Crankarm Length: XS - SM = 165mm MD - XL = 170mm		

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

B0320

Instinct Carbon 50 SHIMANO

LAUFRADGRÖßE

XS - SM
27.5"SM - XL
29"

FARBE 2

BAD TO THE BONE
MATTSMOKIN' IN THE BOYS ROOM
MATT

Frame	SMOOTHWALL™ Carbon Full Sealed Cartridge Bearings Press Fit BB Internal Cable Routing and Storage Compartment 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 2 Position Axle 140mm Travel SMOOTHWALL™ Carbon Rear Triangle	Bottom Bracket	Shimano SM-BBMT500
Fork	RockShox Lyrik Select RC 150mm 27.5 = 37mm Offset 29 = 42mm Offset	Cassette	Shimano SLX 10-51T
R / Shock	Fox Float X Performance Sealed Bearing Eyelet 20x8mm F Hardware XS - SM = 190x45mm MD - LG - XL = 210x52.5mm Size-Specific tune in FAQ	Chain	Shimano M6100
Headset	FSA Orbit NO.85 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	F / Hub	Rocky Mountain SL Sealed Boost 15mm
Stem	Rocky Mountain 35 AM 5° Rise All Sizes = 40mm	R / Hub	DT Swiss 370 Boost 148mm 18T Star-Ratchet
Handlebar	Rocky Mountain AM 780mm Width 25mm Rise 9° Backsweep 5° Upsweep 35 Clamp	Spokes	2.0 Stainless
Grips	ODI Elite Pro Lock On	Rims	WTB ST Light i30 TCS 2.0 Tubeless 28H
Brakes	Shimano MT6120 4 Piston Metal Pads	Rim Tape	Tubeless Ready - Tape / Valves Incl
F / Rotor	Shimano RT66 203mm	Tires	Maxxis Dissector 2.4 WT 3C MaxxTerra EXO Tubeless Ready
R / Rotor	Shimano RT66 180mm	Seatpost	X Fusion Manic Alloy 30.9mm Shimano MT500 Remote XS = 125mm SM = 150mm MD = 170mm LG - XL = 200mm
Shifters	Shimano XT	Saddle	WTB Volt Race 142
R / Derailleur	Shimano XT		
Crankset	Race Face Aeffect Cinch 32T 24mm Spindle Crankarm Length: XS - SM = 165mm MD - XL = 170mm		

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

B0322

Instinct Alloy 50 SHIMANO

LAUFRADGRÖßE

XS - SM
27,5"

SM - XL
29"

FARBE 1



WE ARE THE CHAMPIONS
GLÄNZEND

PLATINUM BLONDE
GLÄNZEND

BLACK DOG
GLÄNZEND

FARBE 2



BAD TO THE BONE
MATT

SMOKIN' IN THE BOYS ROOM
MATT

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

Frame	FORM™ Alloy Full Sealed Cartridge Bearings Press Fit BB Internal Cable Routing 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 2 Position Axle 140mm Travel FORM™ Alloy Rear Triangle	Bottom Bracket	Shimano SM-BBMT500
Fork	Fox 36 Float EVOL GRIP Performance Series 150mm 27.5 = 37mm Offset 29 = 44mm Offset	Cassette	Shimano SLX 10-51T
R / Shock	Fox Float X Performance Sealed Bearing Eyelet 20x8mm F Hardware XS - SM = 190x45mm MD - LG - XL = 210x52.5mm Size-Specific tune in FAQ	Chain	Shimano M6100
Headset	FSA ZS56 66 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	F / Hub	Rocky Mountain SL Sealed Boost 15mm
Stem	Rocky Mountain 31.8 AM 5° Rise All Sizes = 40mm	R / Hub	Shimano XT Boost 148mm 28H
Handlebar	Rocky Mountain AM 780mm Width 25mm Rise 9° Backsweep 5° Upsweep 31.8 Clamp	Spokes	2.0 Stainless
Grips	ODI Elite Pro Lock On	Rims	WTB ST Light i30 TCS 2.0 Tubeless 28H
Brakes	Shimano MT6120 4 Piston Metal Pads	Rim Tape	Tubeless Ready - Tape / Valves Incl
F / Rotor	Shimano RT64 203mm	Tires	Maxxis Dissector 2.4 WT EXO Tubeless Ready
R / Rotor	Shimano RT64 180mm	Seatpost	X Fusion Manic Alloy 30.9mm Shimano MT500 Remote XS = 125mm SM = 150mm MD = 170mm LG - XL = 200mm
Shifters	Shimano XT	Saddle	WTB Volt Race 142
R / Derailleur	Shimano XT		
Crankset	Race Face Ride Cinch 32T 24mm Spindle Crankarm Length: XS - SM = 165mm MD - XL = 170mm		