

B0327

Altitude Carbon 70 Coil SHIMANO

LAUFRADGRÖßE

SM
27.5"

MD - XL
29" / MX

FARBE 1



ACROSS THE UNIVERSE
GLÄNZEND

SWEET LEAF
GLÄNZEND

FARBE 2



UD CARBON
MATT

STILL OF THE NIGHT
GLÄNZEND

BLACK DOG
GLÄNZEND

Frame	SMOOTHWALL™ Carbon Full Sealed Cartridge Bearings BSA Threaded BB Internal Cable Routing and Penalty Box 2.0 Storage Compartment 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 160mm Travel	Bottom Bracket	Race Face BSA 73 30mm
Fork	Fox 38 Float EVOL GRIP2 Factory Series 170mm 27.5 = 37mm Offset 29 = 44mm Offset	Cassette	Shimano XT 10-51T
R / Shock	Fox DHX2 Factory Steel Spring Sealed Bearing Eyelet 40x10mm F Hardware SM = 210x55mm MD - LG - XL = 230x60mm Size-Specific tune in FAQ	Chain	Shimano M8100
Headset	FSA Orbit N0.85 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	F / Hub	Rocky Mountain SL Sealed Boost 15mm
Stem	Rocky Mountain 35 AM 5° Rise All Sizes = 40mm	R / Hub	DT Swiss 350 Boost 148mm 36T Star-Ratchet
Handlebar	Race Face Turbine 780mm Width 35mm Rise 8° Backsweep 4° Upsweep 40mm Clamp	Spokes	DT Swiss Competition 2.0/1.8/2.0
Grips	ODI Elite Pro Lock On	Rims	Race Face AR 30 32H
Brakes	Shimano XT Trail 4 Piston IceTec Metal Pads	Rim Tape	Tubeless Ready - Tape / Valves Incl
F / Rotor	Shimano RT86 203mm	 Tubes	SM = Cushcore SINGLE XC 27.5" w/ alloy valve MD - XL = Cushcore SINGLE XC 29" w/ alloy valve
R / Rotor	Shimano RT86 203mm	F / Tire	Maxxis Assegai 2.5 WT 3C MaxxGrip EXO+ Tubeless Ready
Shifters	Shimano XT	R / Tire	Maxxis Minion DHR II 2.4 WT 3C MaxxTerra DD Tubeless Ready
R / Derailleur	Shimano XT	Seatpost	Race Face Turbine R (by Fox) Dropper 30.9mm SM = 150mm MD = 175mm LG - XL = 200mm
Crankset	Race Face Turbine Cinch 32T 30mm Spindle SM = 165mm MD - XL = 170mm	Saddle	WTB Volt Race 142

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

B0328

Altitude Carbon 50 SHIMANO

LAUFRADGRÖßE

SM
27.5"

MD - XL
29" / MX

FARBE 1



ACROSS THE UNIVERSE
GLÄNZEND

SWEET LEAF
GLÄNZEND

FARBE 2



UD CARBON
MATT

STILL OF THE NIGHT
GLÄNZEND

BLACK DOG
GLÄNZEND

Frame	SMOOTHWALL™ Carbon Full Sealed Cartridge Bearings BSA Threaded BB Internal Cable Routing and Penalty Box 2.0 Storage Compartment 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 160mm Travel	Bottom Bracket	Shimano Threaded BBMT501-B
Fork	Fox 38 Float EVOL GRIP Performance Series 170mm 27.5 = 37mm Offset 29 = 44mm Offset	Cassette	Shimano SLX 10-51T
R / Shock	Fox Float X Performance Sealed Bearing Eyelet 40x10mm F Hardware SM = 210x55mm MD - LG - XL = 230x60mm Size-Specific tune in FAQ	Chain	Shimano M7100
Headset	FSA Orbit N0.85 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	F / Hub	Rocky Mountain SL Sealed Boost 15mm
Stem	Rocky Mountain 35 AM 5° Rise All Sizes = 40mm	R / Hub	DT Swiss 370 Boost 148mm 18T Star-Ratchet
Handlebar	Rocky Mountain AM 780mm Width 38mm Rise 9° Backsweep 5° Upsweep 35 Clamp	Spokes	DT Swiss Competition 2.0/1.8/2.0
Grips	ODI Elite Pro Lock On	Rims	WTB ST Light i30 TCS 2.0 Tubeless 32H
Brakes	Shimano XT Trail 4 Piston Metal Pads	Rim Tape	Tubeless Ready - Tape / Valves Incl
F / Rotor	Shimano RT66 203mm	Tubes	SM = Cushcore SINGLE XC 27.5" w/ alloy valve MD - XL = Cushcore SINGLE XC 29" w/ alloy valve
R / Rotor	Shimano RT66 203mm	F / Tire	Maxxis Assegai 2.5 WT 3C MaxxGrip EXO+ Tubeless Ready
Shifters	Shimano SLX	R / Tire	Maxxis Minion DHR II 2.4 WT 3C MaxxTerra DD Tubeless Ready
R / Derailleur	Shimano XT	Seatpost	X Fusion Manic Alloy 30.9mm Shimano MT500 Remote SM = 150mm MD = 170mm LG - XL = 200mm
Crankset	Race Face Aeffect Cinch 32T 24mm Spindle SM = 165mm MD - XL = 170mm	Saddle	WTB Volt Race 142

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

F0054

Altitude Carbon FRAMESET

LAUFRADGRÖßE

SM
27,5"

MD - XL
29" / MX

FARBE



ACROSS THE UNIVERSE
GLÄNZEND

SWEET LEAF
GLÄNZEND

Frame

SMOOTHWALL™ Carbon | Full Sealed Cartridge Bearings | BSA Threaded BB | Internal Cable Routing and Penalty Box 2.0 Storage Compartment | 2-Bolt ISCG05 Tabs | RIDE-4™ Adjustable Geometry | 160mm Travel

R / Shock

Fox Float X2 Factory | Sealed Bearing Eyelet | 40x10mm F Hardware | SM = 210x55mm | MD - LG - XL = 230x60mm | Size-Specific tune in FAQ

Headset

FSA Orbit NO.85 Reach Adjust | 0mm Cups Installed | +/- 5mm Cups Included | Sealed Stainless 36°x45° Bearings | 30.2mm x 41mm x 7.1mm Upper | 40mm x 51.8mm x 7.5mm Lower | 1.5" Crown Race

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

B0329

Altitude Alloy 70 Coil SHIMANO

LAUFRADGRÖßE

SM
27.5"MD - XL
29" / MX

FARBE 2

UD CARBON
MATTSTILL OF THE NIGHT
GLÄNZENDBLACK DOG
GLÄNZEND

Frame	FORM™ Alloy Full Sealed Cartridge Bearings BSA Threaded BB Internal Cable Routing 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 160mm Travel	Cassette	Shimano SLX 10-51T
Fork	Fox 38 Float EVOL GRIP2 Factory Series 170mm 27.5 = 37mm Offset 29 = 44mm Offset	Chain	Shimano M7100
R / Shock	Fox DHX Coil Factory Sealed Bearing Eyelet 40x10mm F Hardware SM = 210x55mm MD - LG - XL = 230x60mm	F / Hub	Rocky Mountain SL Sealed Boost 15mm
Headset	FSA ZS56 66 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	R / Hub	DT Swiss 370 Boost 148mm 18T Star-Ratchet
Stem	Rocky Mountain 35 AM 5° Rise All Sizes = 40mm	Spokes	DT Swiss Competition 2.0/1.8/2.0
Handlebar	Rocky Mountain AM 780mm Width 38mm Rise 9° Backsweep 5° Upsweep 35 Clamp	Rims	Race Face AR 30 32H
Grips	ODI Elite Pro Lock On	Rim Tape	Tubeless Ready - Tape / Valves Incl
Brakes	Shimano XT Trail 4 Piston Metal Pads	 Tubes	SM = Cushcore SINGLE XC 27.5" w/ alloy valve MD - XL = Cushcore SINGLE XC 29" w/ alloy valve
F / Rotor	Shimano RT66 203mm	F / Tire	Maxxis Assegai 2.5 WT 3C MaxxGrip EXO+ Tubeless Ready
R / Rotor	Shimano RT66 203mm	R / Tire	Maxxis Minion DHR II 2.4 WT 3C MaxxTerra DD Tubeless Ready
Shifters	Shimano XT	Seatpost	X Fusion Manic Alloy 30.9mm Shimano MT500 Remote SM = 150mm MD = 170mm LG - XL = 200mm
R / Derailleur	Shimano XT	Saddle	WTB Volt Race 142
Crankset	Race Face Aeffect R Cinch 32T 24mm Spindle SM = 165mm MD - XL = 170mm		
Bottom Bracket	Shimano Threaded BBMT501-B		

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

B0330

Altitude Alloy 50 SHIMANO

LAUFRADGRÖßE

SM
27,5"

MD - XL
29" / MX

FARBE 1



ACROSS THE UNIVERSE
GLÄNZEND

SWEET LEAF
GLÄNZEND

FARBE 2



UD CARBON
MATT

STILL OF THE NIGHT
GLÄNZEND

BLACK DOG
GLÄNZEND

Das Bild dient nur als Farb- und Grafikreferenz. Bitte beachte die Tabelle mit den Spezifikationen. Die Spezifikationen können ohne vorherige Ankündigung geändert werden. Regionale Verfügbarkeit kann variieren.

Frame	FORM™ Alloy Full Sealed Cartridge Bearings BSA Threaded BB Internal Cable Routing 2-Bolt ISCG05 Tabs RIDE-4™ Adjustable Geometry 160mm Travel	Cassette	Shimano Deore 10-51T 12spd
Fork	Fox 38 Float EVOL GRIP Performance Series 170mm 27.5 = 37mm Offset 29 = 44mm Offset	Chain	Shimano M6100
R / Shock	Fox Float X Performance Sealed Bearing Eyelet 40x10mm F Hardware SM = 210x55mm MD - LG - XL = 230x60mm Size-Specific tune in FAQ	F / Hub	Rocky Mountain SL Sealed Boost 15mm
Headset	FSA ZS56 66 Reach Adjust 0mm Cups Installed +/- 5mm Cups Included Sealed Stainless 36°x45° Bearings 30.2mm x 41mm x 7.1mm Upper 40mm x 51.8mm x 7.5mm Lower 1.5" Crown Race	R / Hub	Shimano XT Boost 148mm
Stem	Rocky Mountain 35 AM 5° Rise All Sizes = 40mm	Spokes	DT Swiss Competition 2.0/1.8/2.0
Handlebar	Rocky Mountain AM 780mm Width 38mm Rise 9° Backsweep 5° Upsweep 35 Clamp	Rims	WTB ST i30 TCS 2.0 Tubeless 32H
Grips	ODI Elite Pro Lock On	Rim Tape	Tubeless Ready - Tape / Valves Incl
Brakes	Shimano SLX Trail 4 Piston Metal Pads	F / Tire	Maxxis Assegai 2.5 WT 3C MaxxGrip EXO+ Tubeless Ready
F / Rotor	Shimano RT64 203mm	R / Tire	Maxxis Minion DHR II 2.4 WT 3C MaxxTerra DD Tubeless Ready
R / Rotor	Shimano RT64 203mm	Seatpost	X Fusion Manic Alloy 30.9mm Shimano MT500 Remote SM = 150mm MD = 170mm LG - XL = 200mm
Shifters	Shimano SLX	Saddle	WTB Volt Race 142
R / Derailleur	Shimano XT		
Crankset	Race Face Aeffect Cinch 32T 24mm Spindle SM = 165mm MD - XL = 170mm		
Bottom Bracket	Shimano Threaded BBMT501-B		