




## CAPRA 29 CORE 2 CF

|                |                           |                                                        |
|----------------|---------------------------|--------------------------------------------------------|
| FRAME          | High Modulus Carbon Frame | V4L   165 mm   148 x 12 mm   YT Thru Axle   UDH        |
| EXT STORAGE    | n/a                       |                                                        |
| FORK           | RockShox ZEB Select       | 29"   170 mm   Charger RC   110 x 15 mm   44 mm Offset |
| SHOCK          | RockShox VIVID Select     | 230 x 65 mm   TouchDown RT adj. HBO   R55C22 X4        |
| HEADSET        | CANE CREEK Series 10      | ZS44 ZS56   High Cap   2 Spacer 5 mm                   |
| STEM           | RACE FACE Aeffect R 35    | 50 mm   +/-0°   Black                                  |
| HANDLEBAR      | YT HANDLEBAR 35           | 800 mm   8° Back   6° Up   Black                       |
|                |                           | 30 mm Rise (S-M)   40 mm Rise (L-XL)                   |
| GRIPS          | ODI ELITE MOTION V2.1     | Lock-On                                                |
| CRANKSET       | SHIMANO SLX FC-M7100      | 170 mm   32T   HOLLOWTECH 2                            |
| CHAINGUIDE     | E13 Vario Enduro          | I05   28-32 T   Compact Slider   Bashguard             |
| CASSETTE       | SHIMANO SLX CS-M7100      | 10-51T   12-Speed   Hyperglide+                        |
| DERAILLEUR     | SHIMANO SLX RD-M7100      | 12-Speed   Shadow+                                     |
| SHIFTER REAR   | SHIMANO XT SL-M8100       | 12-Speed   Rapidfire Plus   2-Way-Release              |
| WHEELSET       | DT SWISS E1900            | 29" 30 mm   110 x 15 mm   6-Bolt                       |
|                |                           | 29" 30 mm   148 x 12 mm   Ratchet LN   6-Bolt   MS     |
| TIRE FRONT     | CONTINENTAL Kryptotal-Fr  | 29" x 2.4 WT   Super Soft   Enduro                     |
| TIRE REAR      | CONTINENTAL Kryptotal-Re  | 29" x 2.4 WT   Soft   Enduro                           |
| BRAKES         | TRP DH-R EVO              | Rotor 220 / 203 mm   2,3 mm   performance resin pads   |
| SEATPOST       | YT POSTMAN V2             | Ø 31.6 mm   Adjustable drop 20 / 10 / 5 mm             |
|                | SHIMANO SL-MT500          | 125 mm (S)   150 mm (M)   170 mm (L-XL)   200 mm (XXL) |
| SADDLE         | SDG BEL Air 3.0           | 140 mm   Lux-Alloy Rail   YT Custom Design             |
| BOTTOM BRACKET | SHIMANO BB-MT800-PA       | BB Press Fit   24 mm                                   |

**COLOR: BLOOD RED, BLACK MAGIC BOLT**

**SIZES: S,M,L,XL,XXL**



## CAPRA 29 CORE 2 CF

|   | Flipchip position      | High   |        |        |        |        | Low    |        |        |        |        |
|---|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|   | Frame size             | S      | M      | L      | XL     | XXL    | S      | M      | L      | XL     | XXL    |
| A | Toptube in mm          | 562    | 585    | 605    | 628    | 651    | 563    | 586    | 606    | 629    | 652    |
| B | Reach in mm            | 430    | 450    | 470    | 490    | 510    | 427    | 447    | 467    | 487    | 507    |
| C | Stack in mm            | 623    | 632    | 632    | 641    | 650    | 625    | 634    | 634    | 643    | 652    |
| D | Seattube in mm         | 395    | 420    | 445    | 470    | 495    | 395    | 420    | 445    | 470    | 495    |
| E | Chainstay in mm        | 437    | 437    | 437    | 442    | 442    | 438    | 438    | 438    | 443    | 443    |
| F | Headtube angle         | 64.5 ° | 64.5 ° | 64.5 ° | 64.5 ° | 64.5 ° | 64.2 ° | 64.2 ° | 64.2 ° | 64.2 ° | 64.2 ° |
| G | Seattube angle (eff)   | 78.0 ° | 77.9 ° | 77.9 ° | 77.9 ° | 77.8 ° | 77.7 ° | 77.6 ° | 77.6 ° | 77.6 ° | 77.5 ° |
| H | BB drop                | 22     | 22     | 22     | 22     | 22     | 27     | 27     | 27     | 27     | 27     |
| I | Wheelbase in mm        | 1203   | 1227   | 1247   | 1276   | 1301   | 1204   | 1228   | 1248   | 1277   | 1302   |
| J | Headtube in mm         | 100    | 110    | 110    | 120    | 130    | 100    | 110    | 110    | 120    | 130    |
| K | BB height in mm        | 354    | 354    | 354    | 354    | 354    | 349    | 349    | 349    | 349    | 349    |
| L | Standover height in mm | 749    | 741    | 739    | 750    | 747    | 745    | 737    | 735    | 746    | 743    |




## CAPRA 29 CORE 2 AL

|                |                          |                                                        |
|----------------|--------------------------|--------------------------------------------------------|
| FRAME          | Alloy Frame              | V4L   165 mm   148 x 12 mm   YT Thru Axle   UDH        |
| FORK           | RockShox ZEB Select      | 29"   170 mm   Charger RC   110 x 15 mm   44 mm Offset |
| SHOCK          | RockShox VIVID Select    | 230 x 65 mm   TouchDown RT adj. HBO   R55C22 X4        |
| HEADSET        | CANE CREEK Series 10     | ZS44 ZS56   High Cap   2 Spacer 5 mm                   |
| STEM           | RACE FACE Aeffect R 35   | 50 mm   +/-0°   Black                                  |
| HANDLEBAR      | YT HANDLEBAR 35          | 800 mm   8° Back   6° Up   Black                       |
|                |                          | 30 mm Rise (S-M)   40 mm Rise (L-XL)                   |
| GRIPS          | ODI ELITE MOTION V2.1    | Lock-On                                                |
| CRANKSET       | SHIMANO SLX FC-M7100     | 170 mm   32T   HOLLOWTECH 2                            |
| CHAINGUIDE     | E13 Vario Enduro         | I05   28-32 T   Compact Slider   Bashguard             |
| CASSETTE       | SHIMANO SLX CS-M7100     | 10-51T   12-Speed   Hyperglide+                        |
| DERAILLEUR     | SHIMANO SLX RD-M7100     | 12-Speed   Shadow+                                     |
| SHIFTER REAR   | SHIMANO XT SL-M8100      | 12-Speed   Rapidfire Plus   2-Way-Release              |
| WHEELSET       | DT SWISS E1900           | 29" 30 mm   110 x 15 mm   6-Bolt                       |
|                |                          | 29" 30 mm   148 x 12 mm   Ratchet LN   6-Bolt   MS     |
| TIRE FRONT     | CONTINENTAL Kryptotal-Fr | 29" x 2.4 WT   Super Soft   Enduro                     |
| TIRE REAR      | CONTINENTAL Kryptotal-Re | 29" x 2.4 WT   Soft   Enduro                           |
| BRAKES         | TRP DH-R EVO             | Rotor 220 / 203 mm   2,3 mm   performance resin pads   |
| SEATPOST       | YT POSTMAN V2            | Ø 31.6 mm   Adjustable drop 20 / 10 / 5 mm             |
|                | SHIMANO SL-MT500         | 125 mm (S)   150 mm (M)   170 mm (L-XL)   200 mm (XXL) |
| SADDLE         | SDG BEL Air 3.0          | 140 mm   Lux-Alloy Rail   YT Custom Design             |
| BOTTOM BRACKET | SHIMANO BB-MT801         | BSA   24 mm                                            |

**COLOR: MACHINE LIGHT GREY, BLACK MAGIC**

**SIZES: S,M,L,XL,XXL**



## CAPRA 29 CORE 2 AL

| Flipchip position |                        | High   |        |        |        |        | Low    |        |        |        |        |
|-------------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Frame size        |                        | S      | M      | L      | XL     | XXL    | S      | M      | L      | XL     | XXL    |
| A                 | Toptube in mm          | 562    | 585    | 605    | 628    | 651    | 563    | 586    | 606    | 629    | 652    |
| B                 | Reach in mm            | 430    | 450    | 470    | 490    | 510    | 427    | 447    | 467    | 487    | 507    |
| C                 | Stack in mm            | 623    | 632    | 632    | 641    | 650    | 625    | 634    | 634    | 643    | 652    |
| D                 | Seattube in mm         | 395    | 420    | 445    | 470    | 495    | 395    | 420    | 445    | 470    | 495    |
| E                 | Chainstay in mm        | 437    | 437    | 437    | 442    | 442    | 438    | 438    | 438    | 443    | 443    |
| F                 | Headtube angle         | 64.5 ° | 64.5 ° | 64.5 ° | 64.5 ° | 64.5 ° | 64.2 ° | 64.2 ° | 64.2 ° | 64.2 ° | 64.2 ° |
| G                 | Seattube angle (eff)   | 78.0 ° | 77.9 ° | 77.9 ° | 77.9 ° | 77.8 ° | 77.7 ° | 77.6 ° | 77.6 ° | 77.6 ° | 77.5 ° |
| H                 | BB drop                | 22     | 22     | 22     | 22     | 22     | 27     | 27     | 27     | 27     | 27     |
| I                 | Wheelbase in mm        | 1203   | 1227   | 1247   | 1276   | 1301   | 1204   | 1228   | 1248   | 1277   | 1302   |
| J                 | Headtube in mm         | 100    | 110    | 110    | 120    | 130    | 100    | 110    | 110    | 120    | 130    |
| K                 | BB height in mm        | 354    | 354    | 354    | 354    | 354    | 349    | 349    | 349    | 349    | 349    |
| L                 | Standover height in mm | 749    | 741    | 739    | 750    | 747    | 745    | 737    | 735    | 746    | 743    |




## CAPRA MX CORE 2 CF

|                |                           |                                                        |
|----------------|---------------------------|--------------------------------------------------------|
| FRAME          | High Modulus Carbon Frame | V4L   170 mm   148 x 12 mm   YT Thru Axle   UDH        |
| EXT STORAGE    | n/a                       |                                                        |
| FORK           | RockShox ZEB Select       | 29"   170 mm   Charger RC   110 x 15 mm   44 mm Offset |
| SHOCK          | RockShox VIVID Select     | 230 x 65 mm   TouchDown RT adj. HBO   R55C22 X4        |
| HEADSET        | CANE CREEK Series 10      | ZS44 ZS56   High Cap   2 Spacer 5 mm                   |
| STEM           | RACE FACE Aeffect R 35    | 50 mm   +/-0°   Black                                  |
| HANDLEBAR      | YT HANDLEBAR 35           | 800 mm   8° Back   6° Up   Black                       |
|                |                           | 30 mm Rise (S-M)   40 mm Rise (L-XL)                   |
| GRIPS          | ODI ELITE MOTION V2.1     | Lock-On                                                |
| CRANKSET       | SHIMANO SLX FC-M7100      | 170 mm   32T   HOLLOWTECH 2                            |
| CHAINGUIDE     | E13 Vario Enduro          | I05   28-32 T   Compact Slider   Bashguard             |
| CASSETTE       | SHIMANO SLX CS-M7100      | 10-51T   12-Speed   Hyperglide+                        |
| DERAILLEUR     | SHIMANO SLX RD-M7100      | 12-Speed   Shadow+                                     |
| SHIFTER REAR   | SHIMANO XT SL-M8100       | 12-Speed   Rapidfire Plus   2-Way-Release              |
| WHEELSET       | DT SWISS E1900            | 29" 30 mm   110 x 15 mm   6-Bolt                       |
|                |                           | 27,5" 30 mm   148 x 12 mm   Ratchet LN   6-Bolt   MS   |
| TIRE FRONT     | CONTINENTAL Kryptotal-Fr  | 29" x 2.4 WT   Super Soft   Enduro                     |
| TIRE REAR      | CONTINENTAL Kryptotal-Re  | 27,5" x 2.4 WT   Soft   Enduro                         |
| BRAKES         | TRP DH-R EVO              | Rotor 220 / 203 mm   2,3 mm   performance resin pads   |
| SEATPOST       | YT POSTMAN V2             | Ø 31.6 mm   Adjustable drop 20 / 10 / 5 mm             |
|                | SHIMANO SL-MT500          | 125 mm (S)   150 mm (M)   170 mm (L-XL)   200 mm (XXL) |
| SADDLE         | SDG BEL Air 3.0           | 140 mm   Lux-Alloy Rail   YT Custom Design             |
| BOTTOM BRACKET | SHIMANO BB-MT800-PA       | BB Press Fit   24 mm                                   |

**COLOR: BLOOD RED, BLACK MAGIC BOLT**

**SIZES: S,M,L,XL,XXL**



## CAPRA MX CORE 2 CF

|   | Flipchip position          | High   |        |        |        |        | Low     |         |         |         |         |
|---|----------------------------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|
|   | Frame size                 | S      | M      | L      | XL     | XXL    | S       | M       | L       | XL      | XXL     |
| A | Toptube in mm              | 563    | 586    | 606    | 629    | 652    | 564     | 587     | 607     | 630     | 653     |
| B | Reach in mm                | 428    | 448    | 468    | 488    | 508    | 424     | 444     | 464     | 484     | 504     |
| C | Stack in mm                | 625    | 634    | 634    | 643    | 652    | 627     | 636     | 636     | 645     | 654     |
| D | Seattube in mm             | 395    | 420    | 445    | 470    | 495    | 395     | 420     | 445     | 470     | 495     |
| E | Chainstay in mm            | 432    | 432    | 432    | 437    | 437    | 433     | 433     | 433     | 438     | 438     |
| F | Headtube angle             | 64.3°  | 64.3°  | 64.3°  | 64.3°  | 64.3°  | 64.0°   | 64.0°   | 64.0°   | 64.0°   | 64.0°   |
| G | Seattube angle (eff)       | 77.8°  | 77.7°  | 77.7°  | 77.7°  | 77.6°  | 77.5°   | 77.4°   | 77.4°   | 77.4°   | 77.3°   |
| H | BB drop front / rear in mm | 7 / 25 | 7 / 25 | 7 / 25 | 7 / 25 | 7 / 25 | 12 / 30 | 12 / 30 | 12 / 30 | 12 / 30 | 12 / 30 |
| I | Wheelbase in mm            | 1198   | 1222   | 1242   | 1271   | 1296   | 1199    | 1223    | 1243    | 1272    | 1297    |
| J | Headtube in mm             | 100    | 110    | 110    | 120    | 130    | 100     | 110     | 110     | 120     | 130     |
| K | BB height in mm            | 351    | 351    | 351    | 351    | 351    | 346     | 346     | 346     | 346     | 346     |
| L | Standover height in mm     | 747    | 739    | 737    | 748    | 745    | 743     | 735     | 733     | 744     | 741     |




## CAPRA MX CORE 2 AL

|                |                          |                                                        |
|----------------|--------------------------|--------------------------------------------------------|
| FRAME          | Alloy Frame              | V4L   170 mm   148 x 12 mm   YT Thru Axle   UDH        |
| FORK           | RockShox ZEB Select      | 29"   170 mm   Charger RC   110 x 15 mm   44 mm Offset |
| SHOCK          | RockShox VIVID Select    | 230 x 65 mm   TouchDown RT adj. HBO   R55C22 X4        |
| HEADSET        | CANE CREEK Series 10     | ZS44 ZS56   High Cap   2 Spacer 5 mm                   |
| STEM           | RACE FACE Aeffect R 35   | 50 mm   +/-0°   Black                                  |
| HANDLEBAR      | YT HANDLEBAR 35          | 800 mm   8° Back   6° Up   Black                       |
|                |                          | 30 mm Rise (S-M)   40 mm Rise (L-XL)                   |
| GRIPS          | ODI ELITE MOTION V2.1    | Lock-On                                                |
| CRANKSET       | SHIMANO SLX FC-M7100     | 170 mm   32T   HOLLOWTECH 2                            |
| CHAINGUIDE     | E13 Vario Enduro         | 105   28-32 T   Compact Slider   Bashguard             |
| CASSETTE       | SHIMANO SLX CS-M7100     | 10-51T   12-Speed   Hyperglide+                        |
| DERAILLEUR     | SHIMANO SLX RD-M7100     | 12-Speed   Shadow+                                     |
| SHIFTER REAR   | SHIMANO XT SL-M8100      | 12-Speed   Rapidfire Plus   2-Way-Release              |
| WHEELSET       | DT SWISS E1900           | 29" 30 mm   110 x 15 mm   6-Bolt                       |
|                |                          | 27,5" 30 mm   148 x 12 mm   Ratchet LN   6-Bolt   MS   |
| TIRE FRONT     | CONTINENTAL Kryptotal-Fr | 29" x 2.4 WT   Super Soft   Enduro                     |
| TIRE REAR      | CONTINENTAL Kryptotal-Re | 27,5" x 2.4 WT   Soft   Enduro                         |
| BRAKES         | TRP DH-R EVO             | Rotor 220 / 203 mm   2,3 mm   performance resin pads   |
| SEATPOST       | YT POSTMAN V2            | Ø 31.6 mm   Adjustable drop 20 / 10 / 5 mm             |
|                | SHIMANO SL-MT500         | 125 mm (S)   150 mm (M)   170 mm (L-XL)   200 mm (XXL) |
| SADDLE         | SDG BEL Air 3.0          | 140 mm   Lux-Alloy Rail   YT Custom Design             |
| BOTTOM BRACKET | SHIMANO BB-MT801         | BSA   24 mm                                            |

**COLOR: MACHINE LIGHT GREY, BLACK MAGIC**

**SIZES: S,M,L,XL,XXL**



## CAPRA MX CORE 2 AL

|   | Flipchip position          | High   |        |        |        |        | Low     |         |         |         |         |
|---|----------------------------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|
|   | Frame size                 | S      | M      | L      | XL     | XXL    | S       | M       | L       | XL      | XXL     |
| A | Toptube in mm              | 563    | 586    | 606    | 629    | 652    | 564     | 587     | 607     | 630     | 653     |
| B | Reach in mm                | 428    | 448    | 468    | 488    | 508    | 424     | 444     | 464     | 484     | 504     |
| C | Stack in mm                | 625    | 634    | 634    | 643    | 652    | 627     | 636     | 636     | 645     | 654     |
| D | Seattube in mm             | 395    | 420    | 445    | 470    | 495    | 395     | 420     | 445     | 470     | 495     |
| E | Chainstay in mm            | 432    | 432    | 432    | 437    | 437    | 433     | 433     | 433     | 438     | 438     |
| F | Headtube angle             | 64.3°  | 64.3°  | 64.3°  | 64.3°  | 64.3°  | 64.0°   | 64.0°   | 64.0°   | 64.0°   | 64.0°   |
| G | Seattube angle (eff)       | 77.8°  | 77.7°  | 77.7°  | 77.7°  | 77.6°  | 77.5°   | 77.4°   | 77.4°   | 77.4°   | 77.3°   |
| H | BB drop front / rear in mm | 7 / 25 | 7 / 25 | 7 / 25 | 7 / 25 | 7 / 25 | 12 / 30 | 12 / 30 | 12 / 30 | 12 / 30 | 12 / 30 |
| I | Wheelbase in mm            | 1198   | 1222   | 1242   | 1271   | 1296   | 1199    | 1223    | 1243    | 1272    | 1297    |
| J | Headtube in mm             | 100    | 110    | 110    | 120    | 130    | 100     | 110     | 110     | 120     | 130     |
| K | BB height in mm            | 351    | 351    | 351    | 351    | 351    | 346     | 346     | 346     | 346     | 346     |
| L | Standover height in mm     | 747    | 739    | 737    | 748    | 745    | 743     | 735     | 733     | 744     | 741     |