

JEFFSY




JEFFSY CORE 2 CF

FRAME	High Modulus Carbon Frame	V4L 145 mm 148 x 12 mm YT Thru Axle UDH
INT STORAGE	YT STASH Downtube Storage	YT Stash Bag 2 pcs
FORK	FOX 36 Float Performance	29" 150 mm GRIP 15x110 mm 44 mm Offset
SHOCK	FOX Float X Performance	210 x 55 mm 2pos-Adjust Custom Tune 0.2 Spacer
HEADSET	CANE CREEK Series 10	ZS44 ZS56 High Cap 2 Spacer 5 mm
STEM	RACE FACE Aeffect R 35	50 mm +/-0° Black
HANDLEBAR	YT HANDLEBAR 35	780 mm 8° Back 6° Up Black 30 mm Rise
GRIPS	ODI ELITE MOTION V2.1	Lock-On
CRANKSET	SHIMANO SLX FC-M7100	170 mm 32T HOLLOWTECH 2
CASSETTE	SHIMANO SLX CS-M7100	10-51T 12-Speed Hyperglide+
DERAILLEUR	SHIMANO SLX RD-M7100	12-Speed Shadow+
SHIFTER REAR	SHIMANO XT SL-M8100	12-Speed Rapidfire Plus 2-Way-Release
WHEELSET	DT SWISS M1900	29" 30 mm 110 x 15 mm 6-Bolt
TIRE FRONT	MAXXIS Minion DHF	29" 30 mm 148 x 12 mm Ratchet LN 6-Bolt MS
TIRE REAR	MAXXIS Minion DHR II	29" x 2.5 WT 3C MaxxGrip EXO+ TR
BRAKES	Hayes Dominion A4	29" x 2.4 WT 3C MaxxTerra EXO+ TR
SEATPOST	YT POSTMAN V2	Stealth black/grey Rotor 203 mm / 203 mm
SADDLE	SHIMANO SL-MT500	Ø 31,6 mm Adjustable drop 20 / 10 / 5 mm 125 mm (S)
BOTTOM BRACKET	SDG BEL Air 3.0 Overland	150 mm (M) 170 mm (L) 200 mm (XL) XXL 230 mm
	SHIMANO BB-MT800-PA	140 mm Lux-Alloy Rail YT Custom Design
		BB Press Fit 24 mm

COLOR: MUD GREEN, BLACK MAGIC BOLT

SIZES: S,M,L,XL,XXL



JEFFSY CORE 2 CF

	Flipchip position	Low					High				
	Frame size	S	M	L	XL	XXL	S	M	L	XL	XXL
A	Toptube in mm	578	593	609	627	645	562	585	607	630	652
B	Reach in mm	435	455	475	495	515	442	462	481	501	521
C	Stack in mm	613	620	627	634	642	608	615	622	629	636
D	Seattube in mm	385	410	435	460	485	385	410	435	460	485
E	Chainstay in mm	437	437	437	442	442	435	435	435	440	440
F	Headtube angle	65 °	65°	65°	65°	65°	65,6°	65,6°	65,6°	65,6°	65,6°
G	Seattube angle (eff)	76,9°	77,5°	77,9°	78,3°	78,6°	77,5°	78,1°	78,5°	78,9°	79,2°
H	Seat angle at saddle height	77,2°	77,2°	77,2°	77,2°	77,2°	77,8°	77,8°	77,8°	77,8°	77,8°
I	Average saddle height	620	670	720	770	820	620	670	720	770	820
J	BB drop in mm	33	33	33	33	33	25	25	25	25	25
K	Wheelbase in mm	1191	1214	1238	1266	1289	1189	1213	1236	1265	1288
L	Headtube in mm	100	108	116	124	132	100	108	116	124	132
M	BB height in mm	343	343	343	343	343	351	351	351	351	351
N	Standover height in mm	730	728	732	738	742	738	736	740	746	750

JEFFSY




JEFFSY CORE 2 AL

FRAME	Alloy Frame	V4L 145 mm 148 x 12 mm YT Thru Axle UDH
FORK	FOX 36 Float Performance	29" 150 mm GRIP 15x110 mm 44 mm Offset
SHOCK	FOX Float X Performance	210 x 55 mm 2pos-Adjust Custom Tune 0.2 Spacer
HEADSET	CANE CREEK Series 10	ZS44 ZS56 High Cap 2 Spacer 5 mm
STEM	RACE FACE Aeffect R 35	50 mm +/-0° Black
HANDLEBAR	YT HANDLEBAR 35	780 mm 8° Back 6° Up Black 30 mm Rise
GRIPS	ODI ELITE MOTION V2.1	Lock-On
CRANKSET	SHIMANO SLX FC-M7100	170 mm 32T HOLLOWTECH 2
CASSETTE	SHIMANO SLX CS-M7100	10-51T 12-Speed Hyperglide+
DERAILLEUR	SHIMANO SLX RD-M7100	12-Speed Shadow+
SHIFTER REAR	SHIMANO XT SL-M8100	12-Speed Rapidfire Plus 2-Way-Release
WHEELSET	DT SWISS M1900	29" 30 mm 110 x 15 mm 6-Bolt
TIRE FRONT	MAXXIS Minion DHF	29" 30 mm 148 x 12 mm Ratchet LN 6-Bolt MS
TIRE REAR	MAXXIS Minion DHR II	29" x 2.5 WT 3C MaxxGrip EXO+ TR
BRAKES	Hayes Dominion A4	29" x 2.4 WT 3C MaxxTerra EXO+ TR
SEATPOST	YT POSTMAN V2	Stealth black/grey Rotor 203 mm / 203 mm
SADDLE	SHIMANO SL-MT500	Ø 31,6 mm Adjustable drop 20 / 10 / 5 mm 125 mm (S)
BOTTOM BRACKET	SDG BEL Air 3.0 Overland	150 mm (M) 170 mm (L) 200 mm (XL) XXL 230 mm
	SHIMANO BB-MT801	140 mm Lux-Alloy Rail YT Custom Design
		BSA 24 mm

COLOR: FROST BLUE, BLACK MAGIC

SIZES: S,M,L,XL,XXL

JEFFSY



JEFFSY CORE 2 AL

	Flipchip position	Low					High				
	Frame size	S	M	L	XL	XXL	S	M	L	XL	XXL
A	Toptube in mm	578	593	609	627	645	562	585	607	630	652
B	Reach in mm	435	455	475	495	515	442	462	481	501	521
C	Stack in mm	613	620	627	634	642	608	615	622	629	636
D	Seattube in mm	385	410	435	460	485	385	410	435	460	485
E	Chainstay in mm	437	437	437	442	442	435	435	435	440	440
F	Headtube angle	65 °	65°	65°	65°	65°	65,6°	65,6°	65,6°	65,6°	65,6°
G	Seattube angle (eff)	76,9°	77,5°	77,9°	78,3°	78,6°	77,5°	78,1°	78,5°	78,9°	79,2°
H	Seat angle at saddle height	77,2°	77,2°	77,2°	77,2°	77,2°	77,8°	77,8°	77,8°	77,8°	77,8°
I	Average saddle height	620	670	720	770	820	620	670	720	770	820
J	BB drop in mm	33	33	33	33	33	25	25	25	25	25
K	Wheelbase in mm	1191	1214	1238	1266	1289	1189	1213	1236	1265	1288
L	Headtube in mm	100	108	116	124	132	100	108	116	124	132
M	BB height in mm	343	343	343	343	343	351	351	351	351	351
N	Standover height in mm	730	728	732	738	742	738	736	740	746	750